Non-GMP Site Quality Self-Assessment

based on

Rx-360 Supplier Assessment Questionnaire

Module 2, Site Specific Information

Relevant for

Sigma Aldrich Production GmbH
Sigma Aldrich Chemie GmbH
Industriestraße 25, 9470 Buchs SG
Switzerland
An affiliate of Merck KGaA, Darmstadt, Germany

The site self-assessment covers our quality management system for the following regulated applications:
- manufacturing of chemicals for research and production

The site also processes GMP related products. For details, please refer to our GMP Quality Site Self-Assessment.

Rx 360 An International Pharmaceutical Supply Chain Consortium

Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

As a trusted partner of our customers, we deliver quality - always.

Merck KGaA, Darmstadt, Germany
Corporation with General Partners
Frankfurter Str. 250
64293 Darmstadt, Germany
Phone +49 6151 72-0

Sigma-Aldrich Corporation
A subsidiary of Merck KGaA, Darmstadt, Germany
3050 Spruce Street
St. Louis, MO 63103, USA
Phone +1 (800) 521-8956 / +1 (314) 771-5765

EMD Millipore Corporation
A subsidiary of Merck KGaA, Darmstadt, Germany
400 Summit Drive Burlington,
MA 01803, USA
Phone +1 (781) 533-6000

Information

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 2. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.
Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.

Rx 360 An International Pharmaceutical Supply Chain Consortium

Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

Merck KGaA, Darmstadt, Germany
Corporation with General Partners
Frankfurter Str. 250
64293 Darmstadt, Germany
Phone +49 6151 72-0

Sigma-Aldrich Corporation
A subsidiary of Merck KGaA, Darmstadt, Germany
3050 Spruce Street
St. Louis, MO 63103, USA
Phone +1 (800) 521-8956 / +1 (314) 771-5765

EMD Millipore Corporation
A subsidiary of Merck KGaA, Darmstadt, Germany
400 Summit Drive Burlington,
MA 01803, USA
Phone +1 (781) 533-6000

Rx-360 Supplier Assessment Questionnaire : Site-Specific Information

☐ Please check here if additional documents are attached.

SECTION 1. General Site Information	
1.1	Site or Facility-Specific Name: This questionnaire reflects non-GMP materials coming from this site. Two legal entities: Sigma-Aldrich Production GmbH Sigma-Aldrich Chemie GmbH
1.2	Address: Industriestrasse 25, 9470 Buchs SG, Switzerland GPS Coordinates: 47°10' N, 9°29' E
1.3	Phone: +41 (0)81 755 2511
1.4	Email: Please refer to your local Sales Representative
1.5	Fax: Please refer to your local Sales Representative
1.6	Website: http://www.sigmaaldrich.com/

SECTION 2. General Site Operating Information	
2.1	What year did the site start operating? 1953
2.2	What is the primary activity of the site? (e.g. manufacturing, distribution, etc.) Purchasing, manufacturing, testing and filling, analytical standards and reagents, biochemicals, research chemicals, fine chemicals and intermediates repack of bulk manufactured at another Sigma-Aldrich location.

SECTION 2. General Site Operating Information	
2.3	To which, if any, subdivision of the parent company does the site belong? Merck, KGaA Darmstadt, Germany, parent company
2.4	Size of site (in sq. ft. or m.): approx. 37500 square meters building surface. 102000 square meters site surface
2.5	Please list or attach the normal hours/schedule of the facilities, including shutdown dates (if applicable): reception desk: Monday to Friday 7:30 to 12:00 and 13:00 to 17:00; production and filling: 2 shifts; shutdown for maintenance between Christmas and New Year
2.6	Total number of employees on site: approx. 475
2.7	Total number of employees in Quality: Quality Assurance 32, Quality Control: 38
2.8	Total number of employees in Manufacturing: 110 in Manufacturing. Approx. 80 in Finished Goods Production (Downfilling, Packaging)
2.9	What quality management system is utilized on site? ☒ ISO 9001 ☒ ISO 13485 ☐ 21 CFR Part 210/211 ☐ 21 CFR Part 820 ☐ European GMP, Eudralex Volume 4 Part I ☐ European GMP, Eudralex Volume 4 Part II ☐ ICH Q7 ☐ HACCP ☐ ISO 22000 ☒ Other Please describe: ISO 17025, ISO 17034, ISO 14001, ISO 45001 Which Regulatory Initiatives does the site follow/comply with? ☒ REACH ☐ RoHs

SECTION 2. General Site Operating Information		
	☐ Ca Prop. 65 ☐ WEEE	
2.10	Does the company/site have an export license?	☒ Yes ☐ No ☐ N/A
2.11	Is the site registered with any government regulatory agency (FDA registration, GMP certification, etc.)? ☒ Yes ☐ No ☐ N/A If yes, please specify. For GMP Related products: GMP and GDP certification from Swissmedic, FDA registered	
2.12	By whom is the site inspected (regulatory or third party) and list inspections within the last three years: For GMP related products: Swissmedic: March 2021 SQS: November 2021 for ISO 13485 SAS: March 2022 for ISO 17025, 17034	
2.13	How often, as an annual average, is the site audited by customers or third parties? 20 audits per year	
2.14	Has an Rx-360 audit been performed at this site? ☒ Yes ☐ No Please also state the date of the audit if applicable. August 2018 http://rx-360.org/audit-programs/	
2.15	Are you willing to have Rx-360 conduct an audit on behalf of your customers according to the Rx-360 audit programs on your site? ☒ Yes ☐ No	
2.16	Are you willing to have your customers conduct audits on your site? ☒ Yes ☐ No	
2.17	Please list regulatory sanctions impacting the site within the last five years (i.e. warning letters, CEP suspension, import alerts, etc.): none	
2.18	Does the site outsource any quality-related activity? ☒ Yes ☐ No ☐ N/A If answering yes, please specify the activities: Most of our activities are conducted on site; in specific cases outsourcing to qualified contractors, if technical capabilities are not available on site	

SECTION 2. General Site Operating Information				
2.19	Please check the supplier controls in place for this facility:			
2.19a	Quality Agreements with Suppliers	☒ Yes	☐ No	☐ N/A
2.19b	Subcontractor Qualification/Audit Program	☒ Yes	☐ No	☐ N/A
2.19c	Periodic Review of Supplier Performance	☒ Yes	☐ No	☐ N/A
2.19d	Supplier Feedback Program	☒ Yes	☐ No	☐ N/A
2.19e	Approved Material Supplier List	☒ Yes	☐ No	☐ N/A
2.19f	Approved Service Supplier List	☒ Yes	☐ No	☐ N/A

Additional comments:
2.9: QMS for ISO regulated products is checked, the site applies GMP standards as well. Please refer to our GMP Site Self-Assessment
2.19a: for critical suppliers

SECTION 3. Objectionable Materials on Site				
3.1	Does the site or production plant produce, process or store any of the following:	**Yes**	**No**	**Not Applicable**
3.1a	Beta-Lactam Antibiotics	☐	☒	☐
3.1b	Steroids and/or hormones	☐	☒	☐
3.1c	High potency compounds	☐	☒	☐
3.1d	Materials of animal origin/Biologics	☒	☐	☐
3.1e	Live virus or micro-organism	☐	☒	☐
3.1f	Allergens	☐	☒	☐
3.1g	Genetically Modified Organisms (GMO)	☐	☒	☐
3.1h	Agrochemicals (Pesticides, Herbicides, Fungicides, etc.)	☐	☒	☐
3.1i	Other (Please specify): 3.1d: No raw materials directly from slaughter or similar are used. All materials from animal origin are highly purified from the animal raw material and can be seen as purified chemicals.			

	Documented cleaning processes are in place to avoid cross contamination. A risk based approach is conducted, when a material of animal origin is handled in the GMP area.

SECTION 4. Cross Contamination Control				
4.1	Are any of the following cross-contamination controls in place?	**Yes**	**No**	**Not Applicable**
4.1a	Dedicated Facilities	☒	☐	☐
4.1b	Access Controls	☒	☐	☐
4.1c	Dedicated Personnel	☒	☐	☐
4.1d	Dedicated Gowning	☒	☐	☐
4.1e	Procedural Controls	☒	☐	☐
4.1f	Other (please specify): None			

Additional Comments:
4.1a: if applicable. Also in non GMP area specific areas are dedicated to avoid cross contamination.
4.1.c: if applicable. Yes for GMP area.
4.1d: Minimum gowning defined on risk assessment. Additional gowning for specific materials, according to safety instructions.

SECTION 5. Site Operating Policies				
5.1	Does the site utilize the following written policies, programs, or procedures?			
Site Specific:		**Yes**	**No**	**Not Applicable**
5.1a	Environmental, Health, and Safety	☒	☐	☐
5.1b	Facility Environmental Control Policy	☒	☐	☐
5.1c	General Facility Cleaning Procedures	☒	☐	☐
5.1d	Hygiene and Sterilization Procedures	☒	☒	☐
5.1e	Validated Equipment Cleaning Procedures	☐	☒	☐
5.1f	Preventative Maintenance Program/Procedures	☒	☐	☐
5.1g	Pest Control Program	☒	☐	☐
5.1h	Master Production Procedure	☒	☐	☐
Quality:				
5.1i	Quality Control/Quality Management Policy	☒	☐	☐
5.1j	Quality Manual	☒	☐	☐
5.1k	Periodic Product Quality Review	☐	☐	☒
5.1l	Master Validation Plan	☒	☐	☐
5.1m	Risk Assessment Program	☒	☐	☐
5.1n	Supplier Approval Procedure	☒	☐	☐
5.1o	Monitoring and Review of Approved Suppliers	☒	☐	☐
5.1p	Mechanism to Reduce Testing	☒	☐	☐

5.1q	Receiving Incoming Inspection	☒	☐	☐
5.1r	Change Control Procedures	☒	☐	☐
5.1s	Document Management Policy	☒	☐	☐
5.1t	Document Retention Policy	☒	☐	☐
5.1u	Change Notification Procedures for Clients	☒	☐	☐
5.1v	Control of Nonconforming Material	☒	☐	☐
5.1w	Deviation/Investigation Procedure	☒	☐	☐
5.1x	Out of Specification Policy and Procedure	☒	☐	☐
5.1y	Sampling Procedure/Sampling Plan	☒	☐	☐
5.1z	Raw Material Retention Program	☐	☐	☒
5.1aa	CAPA Procedure	☒	☐	☐
5.1bb	Label Control and Accountability	☒	☐	☐
5.1cc	Product Release Procedure	☒	☐	☐
5.1dd	Employee Training Program	☒	☐	☐
5.1ee	Stability, Expiration, and Shelf-Life Program	☒	☐	☐
5.1ff	Product Retention Program	☐	☐	☒
5.1gg	Recall Procedure	☒	☐	☐
5.1hh	Customer Complaint Handling	☒	☐	☐
5.1ii	Equipment validation/qualification procedure	☐	☐	☒
SECTION 5. Site Operating Policies				
		Yes	**No**	**Not Applicable**
5.1jj	Internal audit/self-inspection program procedure	☒	☐	☐
5.1kk	Site Security/Site Access Control Policies	☒	☐	☐
5.1ll	New Hire Program/Induction Program	☒	☐	☐
Business Continuity/Contingency Plan:				
5.1mm	Disaster Recovery Plan	☒	☐	☐
5.1nn	Pandemic Preparedness Plan	☒	☐	☐
5.1oo	Supply Chain Emergency Preparedness Plan	☒	☐	☐
5.1pp	Business Continuity/Contingency Plan	☒	☐	☐
5.1qq	Can the company provide a plan upon request? OR provide a short description below: A Business Continuity Plan can be shown during an audit on site. Additional Comment: 5.1d: "Yes for hygiene procedures, "No" for sterilization procedures			

SECTION 6. Quality Assurance and Production				
		Yes	**No**	**Not Applicable**
6.1	Does the site have an independent and defined Quality Assurance/Quality Management Division?	☒	☐	☐
6.2	Does QA/QM have authority over the following:			
6.2a	Policies and procedures?	☒	☐	☐
6.2b	Review of documentation for release?	☒	☐	☐
6.2c	Release or rejection of incoming materials?	☒	☐	☐
6.3	Does QA/QM investigate and resolve quality complaints?	☒	☐	☐
6.4	Does QA/QM investigate and resolve internal deviations?	☒	☐	☐
6.5	Does the QA/QM have the authority to assign a disposition to materials?	☒	☐	☐
6.6	Does the QA/QM review manufacturing and testing records prior to release?	☒	☒	☐
6.7	Does the facility utilize computerized systems for managing GxP activities or data?	☒	☐	☐
6.8	Are relevant computerized systems 21 CFR part 11 and EU GMP annex 11 compliant?	☒	☐	☐
6.9	Does the site use statistical methods for consistency and uniformity?	☒	☐	☐
6.10	Does the site use controlled documents for following and recording manufacturing instructions?	☒	☐	☐
6.11	Does the company qualify and/or validate manufacturing procedures?	☐	☒	☐
6.12	Is any environmental monitoring conducted in production/finishing areas?	☒	☐	☐
6.13	Does the site supply BSE/TSE declarations?	☒	☐	☐
6.14	Does the site supply a declaration of Elemental Impurities?	☒	☐	☐
6.15	Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials?	☐	☐	☒
6.16	Are stability studies carried out according to ICH guidance?	☐	☐	☒
6.17	Are solvents and mother liquor reused/recycled?	☐	☒	☐
6.18	Does the site have a process water treatment system?	☒	☐	☐
6.18a	Please check all that apply to the system: ☒ City/potable water ☐ Distilled water ☒ Dionized water ☐ Water for injection (WFI) ☒ Reverse Osmosis ☐ Clean steam ☒ Ultra-filtrated water (purified water) ☐ Other:			

SECTION 6. Quality Assurance and Production				
		Yes	**No**	**Not Applicable**
6.19	Does the plant have a batch/lot system?	☒	☐	☐
6.19a	Is the system traceable?	☒	☐	☐
6.19b	Is it unique?	☒	☐	☐
6.19c	Is batch/lot manufacturing continuous?	☐	☒	☐
6.19d	Is manufacturing batch by batch?	☒	☐	☐
6.20	Does the site perform on-plant audits prior to approving critical GxP suppliers?	☒	☐	☐
6.21	Does the site audit critical GxP suppliers after initial approval?	☒	☐	☐
6.22	Does the site inspect incoming materials?	☒	☐	☐
6.23	Does the site test incoming materials to defined specifications?	☒	☐	☐
6.24	Does the site establish purchase specifications for raw materials?	☒	☐	☐
6.25	Is the equipment multi-use?	☒	☐	☐
6.26	Does the site qualify equipment installation?	☒	☐	☐
6.27	Does the site qualify equipment operation?	☒	☐	☐
6.28	Does the site qualify equipment performance?	☒	☐	☐
6.29	Are production critical use instruments calibrated regularly?	☒	☐	☐
6.30	Is rework allowed?	☒	☐	☐
6.31	Is reprocessing allowed?	☒	☐	☐
6.32	Are manufacturing and packaging activities traceable to the equipment, areas, and materials used?	☒	☐	☐
6.33	Are production materials handled and stored in a manner to prevent degradation, contamination and cross-contamination?	☒	☐	☐
6.34	If answering ‘not applicable’ for any of the above, please elaborate: N/A			

Additional Comments:
6.6 for quality level MQ100 - MQ300 grade products :"No";
for quality level MQ400 grade products "Yes"
6.9 if applicable
6.11 qualify yes, validate if applicable
6.13 "Yes"for quality level MQ400 grade products, for quality level MQ100 - MQ300 products only if applicable and lot specific information is available
6.14 we test elemental impurity metals in some cases, see CoA
6.18a City/potable water for cleaning
6.26-28 We apply IQ, OQ, PQ for some non-GMP products in case they are produced in the same technical equipment like GMP products

SECTION 7. Laboratory Procedures		☐ N/A for this Site		
		Yes	**No**	**Not Applicable**
7.1	Does the site have standard procedures for sample handling/tracking?	☒	☐	☐
7.1a	Does the site have standard procedures for retaining samples?	☒	☐	☐
7.1b	Does the site have standard procedures for re-testing samples?	☒	☐	☐
7.2	Does the site have written and approved specifications and test methods?	☒	☐	☐
7.3	Are laboratory instruments calibrated regularly?	☒	☐	☐
7.4	Is there a standard procedure in place for analytical method development?	☒	☐	☐
7.5	Does the site qualify and/or validate analytical test procedures?	☒	☐	☐
7.6	Does the site perform stability testing on materials and/or products?	☐	☐	☒
7.7	Are retention samples of key raw materials maintained?	☐	☐	☒
7.8	Are standards traceable to their preparation and reagents used?	☒	☐	☐
7.9	Are retention samples of finished product maintained?	☐	☐	☒
7.10	Are shelf life/retest/expiration dates available and standardized?	☒	☐	☐
7.11	Does the company provide a certificate of analysis (CoA) and/or a Certificate of Conformation/Compliance (CoC) for each lot or batch?	☒	☐	☐
7.12	Does the CoA/CoC contain the manufacture name and location?	☐	☒	☐
7.13	Does the CoA/CoC signed/e-signed by a Quality representative?	☒	☐	☐
7.14	If a repacker performs analyses, will the CoA reflect both the original manufacturing site data as well as the repacking site data?	☐	☐	☒
7.15	If answering 'not applicable' for any of the above, please elaborate: 7.5 qualify yes, validate is done for certified reference material products 7.6. , 7.7, 7.9 not required for non-GMP (MQ100 - MQ 400) products 7.11 - 13 Certificates of Conformance (CoC) are only issued if applicable			
7.16	Additional Comments: Some questions refer to GMP materials and are not applicable for non-GMP materials. This questionnaire refers to non-GMP materials			

SECTION 7. Laboratory Procedures		☐ N/A for this Site		
		Yes	No	Not Applicable
	only			

SECTION 8. Packaging, Storage, and Transport		☐ N/A for this Site		
		Yes	No	Not Applicable
8.1	Does the site have a validated or qualified labeling system?	☒	☐	☐
8.2	Are batch production records retained and available?	☒	☐	☐
8.3	Are packaging and labeling areas separate from production?	☒	☐	☐
8.4	Are barcode readers in use and challenged regularly?	☒	☐	☐
8.5	Are vision systems in use?	☐	☒	☐
8.6	Is product ever packaged without a label being initially applied (i.e. bright stocking)?	☐	☒	☐
8.7	Do labels include shelf life/expiration dates?	☒	☐	☐
8.8	Do labels include lot/batch number?	☒	☐	☐
8.9	Do labels include requirements for storage conditions?	☒	☐	☐
8.10	Is tamper evident seal used for each container of supplied materials?	☒	☐	☐
8.11	Does the company use a First-In-First-Out or First-Expiration-First-Out system?	☒	☐	☐
8.12	Does the company maintain appropriate storage conditions?	☒	☐	☐
8.12a	Are those storage conditions monitored and documented?	☒	☐	☐
8.13	Does the site make available a description of storage and/or warehouse conditions?	☐	☒	☐
8.14	Does the site distribute products via a third party?	☒	☐	☐
8.15	Are good distribution policies implemented?	☒	☐	☐
8.16	Are transport mechanisms dedicated?	☐	☐	☒
8.17	Does the company validate shipping method?	☐	☒	☐
8.18	Does the company validate packaging methods?	☐	☒	☐
Additional Comments: 8.1 qualified yes, validated no 8.7 Yes, but only if batch is classified with expiry period 8.9 Yes, if storage conditions other than storage at ambient temperature apply 8.15 - 8.16 if applicable				

I (Supplier) confirm that the information provided in this questionnaire is correct and can be verified.

Date:15. July 2022

Title:Supervisor Quality Assurance