

Site Quality Self-Assessment

based on

Rx-360 Supplier Assessment Questionnaire

Module 2, Site Specific Information

Relevant for

Merck Millipore Ltd. Tullagreen, Carrigtwohill T45 KD29 County Cork, Ireland An affiliate of Merck KGaA, Darmstadt, Germany

The site self-assessment covers our quality management system for the following applications:

- Manufacturing of medical devices, filtration products, chromatography adsorbents, immobilized enzymes and other ligands for modification and purification of biomolecules



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium

As a trusted partner of our customers, we deliver quality - always.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0 Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000



Information

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 2. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.

Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0 Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000

Rx-360 Supplier Assessment Questionnaire : Site-Specific Information

☑ Please check here if additional documents are attached.

| | SECTION 1. General Site Information | | | |
|-----|--|--|--|--|
| 1.1 | Site or Facility-Specific Name: Merck Millipore Ltd. | | | |
| 1.2 | Address: Tullagreen, Carrigtwohill, Cork, Ireland T45 KD29 GPS Coordinates: 51.9, -8.28 | | | |
| 1.3 | Phone: +3531890924645 | | | |
| 1.4 | Email: iecustomerservice@millipore.com | | | |
| 1.5 | Fax: +3531890924884 | | | |
| 1.6 | Website: http://www.sigmaaldrich.com | | | |

| | SECTION 2. General Site Operating Information | | | | | |
|-----|---|--|--|--|--|--|
| 2.1 | What year did the site start operating? 1988 | | | | | |
| 2.2 | What is the primary activity of the site? (e.g. manufacturing, distribution, etc.) Membrane, Device, & Chromatography Media Manufacturing | | | | | |

| | SECTION 2. General Site Operating Information |
|------|---|
| 2.3 | To which, if any, subdivision of the parent company does the site belong? |
| | Life Science Division of Merck KGaA, Darmstadt, Germany |
| | |
| 2.4 | Size of site (in sq. ft. or m.): 212,000 sq.ft |
| | |
| 2.5 | Please list or attach the normal hours/schedule of the facilities, including shutdown |
| | dates (if applicable): |
| | 08:30 - 17:00 GMT |
| 2.6 | Total number of employees on site: |
| 2.0 | approx. 750 |
| | approx. 750 |
| 2.7 | Total number of employees in Quality: |
| | approx. 90 |
| 2.8 | Total number of ampleyage in Manufacturing |
| 2.0 | Total number of employees in Manufacturing: approx. 390 |
| | approx. 570 |
| 2.9 | What quality management system is utilized on site? |
| | <u>⊠</u> ISO 9001 |
| | ISO 13485 |
| | 21 CFR Part 210/211 |
| | |
| | European GMP, Eudralex Volume 4 Part II |
| | ICH Q7 |
| | ☐ HACCP |
| | ISO 22000 |
| | Other District NGCAR |
| | Please describe: MDSAP |
| | Which Regulatory Initiatives does the site follow/comply with? |
| | ⊠ REACH |
| | RoHs |
| | Ca Prop. 65 |
| | ₩EEE |
| 2.10 | Does the company/site Yes No N/A |
| 2.10 | have an export license? |

| | SECTION 2. General Site Operating Information | | | | | |
|-------|--|---|--|--|--|--|
| 2.11 | | rnment regulatory agency (FDA registration, | | | | |
| | GMP certification, etc.)? | | | | | |
| | Yes No | N/A | | | | |
| | If yes, please specify. | | | | | |
| | FDA registration number: 8020892 | | | | | |
| | HRPA Registration Number: IE/C. | A01/M/1V/0699 | | | | |
| 2.12 | By whom is the site inspected (reg | ulatory or third party) and list inspections within | | | | |
| | the last three years: | | | | | |
| | Annual GMED Notified Body inspection – ISO 13485, CE and MDSAP audits | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 2.13 | How often, as an annual average, i | s the site audited by customers or third parties? | | | | |
| | approx. 12 | • | | | | |
| | | | | | | |
| 2.14 | Has an Rx-360 audit been performed | | | | | |
| | Please also state the date of the audi | if applicable. | | | | |
| | 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | |
| | http://rx-360.org/audit-programs/ | | | | | |
| 2.15 | Are you willing to have Rx-360 con | duct an audit on behalf of your customers | | | | |
| 2.10 | Are you willing to have Rx-360 conduct an audit on behalf of your customers according to the Rx-360 audit programs on your site? | | | | | |
| | ☐ Yes ☐ No | j | | | | |
| 2.16 | Are you willing to have your custom | ers conduct audits on your site? | | | | |
| | ∑ Yes ☐ No | | | | | |
| 2.17 | | cting the site within the last five years (i.e. | | | | |
| | warning letters, CEP suspension, im | port alerts, etc.): | | | | |
| | N/A | | | | | |
| 2.18 | Does the site outsource any quality- | related activity? | | | | |
| | | N/A | | | | |
| | If answering yes, please specify the | | | | | |
| | | | | | | |
| | Sterilization Service, Sterility Testin | ng | | | | |
| 2.19 | Please check the supplier controls in | place for this facility: | | | | |
| | | | | | | |
| 2.19a | Quality Agreements with | | | | | |
| | Suppliers | Yes No N/A | | | | |
| | | | | | | |

| | SECTION 2. General Site Operating Information | | | | | |
|-------|---|---------------|-------------|-------------|-------------------|--|
| 2.19b | Subcontractor Qualification/Audit Program | X Yes | | No | □ N/A | |
| 2.19c | Periodic Review of Supplier Performance | × Yes | | No | □ N/A | |
| 2.19d | Supplier Feedback Program | X Yes | | No | □ N/A | |
| 2.19e | Approved Material Supplier List | X Yes | | No | □ N/A | |
| 2.19f | Approved Service Supplier List | X Yes | | No | N/A | |
| | ional comments: ier Controls are as per applicable site | procedures | | | | |
| | SECTION 3. Object | ionable M | aterials | on Site | | |
| 3.1 | Does the site or production plant p process or store any of the following | | Yes | No | Not Applicable | |
| 3.1a | Beta-Lactam Antibiotics | | | \boxtimes | | |
| 3.1b | Steroids and/or hormones | | | \boxtimes | | |
| 3.1c | High potency compounds | | | \boxtimes | | |
| 3.1d | Materials of animal origin/Biologic | cs | | | | |
| 3.1e | Live virus or micro-organism | | | | | |
| 3.1f | Allergens | | | \boxtimes | | |
| 3.1g | Genetically Modified Organisms (| GMO) | | \boxtimes | | |
| 3.1h | Agrochemicals (Pesticides, Herbic Fungicides, etc.) | ides, | | \boxtimes | | |
| 3.1i | Other (Please specify): 3.1e: microorganisms are only used | d in laborato | ry testing | | | |
| | SECTION 4. Cross | Contamin | ation C | ontrol | | |
| 4.1 | Are any of the following cross- contamination controls in place | ? | Yes | No | Not Applicable | |
| 4.1a | Dedicated Facilities | | | | | |
| 4.1b | Access Controls | | \boxtimes | | | |
| 4.1c | Dedicated Personnel | | \square | | | |
| 4.1d | Dedicated Gowning | | | | | |
| 4.1e | Procedural Controls | | \boxtimes | | | |
| 4.1f | Other (please specify): | | | | | |

Additional Comments:

| SECTION 5. Site Operating Policies | | | | | |
|--|---|-------------|----|-------------------|--|
| 5.1 Does the site utilize the following written policies, programs, or procedures? | | | | | |
| Site Spec | Site Specific: | | No | Not Applicable | |
| 5.1a | Environmental, Health, and Safety | | | | |
| 5.1b | Facility Environmental Control Policy | \boxtimes | | | |
| 5.1c | General Facility Cleaning Procedures | | | | |
| 5.1d | Hygiene and Sterilization Procedures | | | | |
| 5.1e | Validated Equipment Cleaning Procedures | | | | |
| 5.1f | Preventative Maintenance Program/Procedures | | | | |
| 5.1g | Pest Control Program | | | | |
| 5.1h | Master Production Procedure | | | | |
| Quality: | | | | <u> </u> | |
| 5.1i | Quality Control/Quality Management Policy | | | | |
| 5.1j | Quality Manual | | | | |
| 5.1k | Periodic Product Quality Review | | | | |
| 5.11 | Master Validation Plan | | | | |
| 5.1m | Risk Assessment Program | | | | |
| 5.1n | Supplier Approval Procedure | | | | |
| 5.1o | Monitoring and Review of Approved Suppliers | | | | |
| 5.1p | Mechanism to Reduce Testing | | | | |
| 5.1q | Receiving Incoming Inspection | | | | |
| 5.1r | Change Control Procedures | | | | |
| 5.1s | Document Management Policy | | | | |
| 5.1t | Document Retention Policy | | | | |
| 5.1u | Change Notification Procedures for Clients | | | | |
| 5.1v | Control of Nonconforming Material | | | | |
| 5.1w | Deviation/Investigation Procedure | | | | |
| 5.1x | Out of Specification Policy and Procedure | | | | |
| 5.1y | Sampling Procedure/Sampling Plan | | | | |
| 5.1z | Raw Material Retention Program | | | | |
| 5.1aa | CAPA Procedure | | | | |
| 5.1bb | Label Control and Accountability | | | | |
| 5.1cc | Product Release Procedure | | | | |
| 5.1dd | Employee Training Program | | | | |
| 5.1ee | Stability, Expiration, and Shelf-Life Program | | | | |
| 5.1ff | Product Retention Program | | | | |
| 5.1gg | Recall Procedure | | | | |

| 5.1hh | Customer Complaint Handling | | | |
|-----------------|---|-------------|-----------|-------------------|
| 5.1ii | Equipment validation/qualification procedure | \boxtimes | | |
| | SECTION 5. Site Operating P | olicies | | |
| | | Yes | No | Not Applicable |
| 5.1jj | Internal audit/self-inspection program procedure | \boxtimes | | |
| 5.1kk | Site Security/Site Access Control Policies | | | |
| 5.111 | New Hire Program/Induction Program | \boxtimes | | |
| Business | Continuity/Contingency Plan: | | | |
| 5.1mm | Disaster Recovery Plan | | | |
| 5.1nn | Pandemic Preparedness Plan | | | |
| 5.100 | Supply Chain Emergency Preparedness Plan | \boxtimes | | |
| 5.1pp | Business Continuity/Contingency Plan | | | |
| 5.1qq | Can the company provide a plan upon request? C below: Available for review during onsite audits | OR provide | a short c | lescription |

| | SECTION 6. Quality Assurance and Production | | | | |
|------|--|-------------|----|-------------------|--|
| | | Yes | No | Not Applicable | |
| 6.1 | Does the site have an independent and defined Quality Assurance/Quality Management Division? | | | | |
| 6.2 | Does QA/QM have authority over the following: | | | | |
| 6.2a | Policies and procedures? | | | | |
| 6.2b | Review of documentation for release? | \boxtimes | | | |
| 6.2c | Release or rejection of incoming materials? | \boxtimes | | | |
| 6.3 | Does QA/QM investigate and resolve quality complaints? | \boxtimes | | | |
| 6.4 | Does QA/QM investigate and resolve internal deviations? | \boxtimes | | | |
| 6.5 | Does the QA/QM have the authority to assign a disposition to materials? | | | | |
| 6.6 | Does the QA/QM review manufacturing and testing records prior to release? | | | | |
| 6.7 | Does the facility utilize computerized systems for managing GxP activities or data? | | | | |
| 6.8 | Are relevant computerized systems 21 CFR part 11 and EU GMP annex 11 compliant? | | | | |
| 6.9 | Does the site use statistical methods for consistency and uniformity? | | | | |
| 6.10 | Does the site use controlled documents for following and recording manufacturing instructions? | | | | |

| | SECTION 6. Quality Assurance and Production | | | | | |
|-------|--|-------------|-------------|-------------------|--|--|
| | | Yes | No | Not Applicable | | |
| 6.11 | Does the company qualify and/or validate manufacturing procedures? | | | | | |
| 6.12 | Is any environmental monitoring conducted in production/finishing areas? | | | | | |
| 6.13 | Does the site supply BSE/TSE declarations? | | П | | | |
| 6.14 | Does the site supply a declaration of Elemental Impurities? | | П | | | |
| 6.15 | Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials? | | | | | |
| 6.16 | Are stability studies carried out according to ICH guidance? | | П | \boxtimes | | |
| 6.17 | Are solvents and mother liquor reused/recycled? | X | П | | | |
| 6.18 | Does the site have a process water treatment system? | A | П | | | |
| | ☐ City/potable water ☐ Distilled water ☐ Dionized water ☐ Water for injection (WFI) ☐ Reverse Osmosis ☐ Clean steam ☐ Ultra-filtrated water (purified water) ☐ Other: | | | | | |
| 6.19 | Does the plant have a batch/lot system? | \boxtimes | | | | |
| 6.19a | Is the system traceable? | \boxtimes | | | | |
| 6.19b | Is it unique? | | | | | |
| 6.19c | Is batch/lot manufacturing continuous? | | \boxtimes | | | |
| 6.19d | Is manufacturing batch by batch? | \boxtimes | | | | |
| 6.20 | Does the site perform on-plant audits prior to approving critical GxP suppliers? | | | | | |
| 6.21 | Does the site audit critical GxP suppliers after initial approval? | | | | | |
| 6.22 | Does the site inspect incoming materials? | \boxtimes | | | | |
| 6.23 | Does the site test incoming materials to defined specifications? | | | | | |
| 6.24 | Does the site establish purchase specifications for raw materials? | | | | | |
| 6.25 | Is the equipment multi-use? | \square | П | | | |
| 6.26 | Does the site qualify equipment installation? | | | | | |
| 6.27 | Does the site qualify equipment operation? | | | | | |
| 6.28 | Does the site qualify equipment performance? | | | | | |

| | SECTION 6. Quality Assurance and Production | | | | |
|--|--|-------------|-------------|-------------------|--|
| | • | Yes | No | Not Applicable | |
| 6.29 | Are production critical use instruments calibrated regularly? | \boxtimes | | | |
| 6.30 | Is rework allowed? | | \boxtimes | | |
| 6.31 | Is reprocessing allowed? | | \boxtimes | | |
| 6.32 | Are manufacturing and packaging activities traceable to the equipment, areas, and materials used? | | | | |
| 6.33 | Are production materials handled and stored in a manner to prevent degradation, contamination and cross-contamination? | | | | |
| 6.34 If answering 'not applicable' for any of the above, please elaborate: Site does not manufacture products that are governed by these ICH guidances | | | | | |
| | Additional Comments: Site refers to suppliers as critical and does not use the term GxP in site supplier system | | | | |

| SECTION 7. Laboratory Procedures | | | N/A | for this Site |
|----------------------------------|--|-------------|-----|----------------|
| | | Yes | No | Not Applicable |
| 7.1 | Does the site have standard procedures for sample handling/tracking? | \boxtimes | | |
| 7.1a | Does the site have standard procedures for retaining samples? | \boxtimes | | |
| 7.1b | Does the site have standard procedures for retesting samples? | \boxtimes | | |
| 7.2 | Does the site have written and approved specifications and test methods? | \boxtimes | | |
| 7.3 | Are laboratory instruments calibrated regularly? | \boxtimes | | |
| 7.4 | Is there a standard procedure in place for analytical method development? | | | |
| 7.5 | Does the site qualify and/or validate analytical test procedures? | \boxtimes | | |
| 7.6 | Does the site perform stability testing on materials and/or products? | \boxtimes | | |
| 7.7 | Are retention samples of key raw materials maintained? | \boxtimes | | |
| 7.8 | Are standards traceable to their preparation and reagents used? | \boxtimes | | |
| 7.9 | Are retention samples of finished product maintained? | \boxtimes | | |
| 7.10 | Are shelf life/retest/expiration dates available and standardized? | \boxtimes | | |
| 7.11 | Does the company provide a certificate of analysis (CoA) and/or a Certificate of | \boxtimes | | |

| | SECTION 7. Laboratory Procedures | | | ■ N/A for this Site | | |
|-------|---|-------------|-------------|----------------------------|--|--|
| | | Yes | No | Not Applicable | | |
| | Conformation/Compliance (CoC) for each lot or batch? | | | | | |
| 7.12 | Does the CoA/CoC contain the manufacture name and location? | | | | | |
| 7.13 | Does the CoA/CoC signed/e-signed by a Quality representative? | | | | | |
| 7.14 | If a repacker performs analyses, will the CoA reflect both the original manufacturing site data as well as the repacking site data? | | | | | |
| 7.15 | If answering 'not applicable' for any of the above, Method development not completed on site and repackers no | | orate: | | | |
| 7.16 | Additional Comments: CoA/CoC are provided on | request | | | | |
| | | | | | | |
| S | ECTION 8. Packaging, Storage, and Tran | | | for this Site | | |
| | | Yes | No | Not Applicable | | |
| 8.1 | Does the site have a validated or qualified labeling system? | | | | | |
| 8.2 | Are batch production records retained and available? | | | | | |
| 8.3 | Are packaging and labeling areas separate from production? | | | | | |
| 8.4 | Are barcode readers in use and challenged regularly? | | | | | |
| 8.5 | Are vision systems in use? | | | | | |
| 8.6 | Is product ever packaged without a label being initially applied (i.e. bright stocking)? | | | | | |
| 8.7 | Do labels include shelf life/expiration dates? | \boxtimes | | | | |
| 8.8 | Do labels include lot/batch number? | | | | | |
| 8.9 | Do labels include requirements for storage conditions? | | | | | |
| 8.10 | Is tamper evident seal used for each container of supplied materials? | \boxtimes | | | | |
| 8.11 | Does the company use a First-In-First-Out or First-Expiration-First-Out system? | \boxtimes | | | | |
| 8.12 | Does the company maintain appropriate storage conditions? | \boxtimes | | | | |
| 8.12a | Are those storage conditions monitored and documented? | \boxtimes | | | | |
| 8.13 | Does the site make available a description of | \boxtimes | | | | |

storage and/or warehouse conditions?

| SECTION 8. Packaging, Storage, and Transpor | | | ☐ N/A for this Site | | |
|---|--|-------------|---------------------|----------------|--|
| | | Yes | No | Not Applicable | |
| 8.14 | Does the site distribute products via a third party? | | | | |
| 8.15 | Are good distribution policies implemented? | | | \boxtimes | |
| 8.16 | Are transport mechanisms dedicated? | \boxtimes | | | |
| 8.17 | Does the company validate shipping method? | | | \boxtimes | |
| 8.18 | Does the company validate packaging methods? | | | | |
| Additional Comments: Controls are as per applicable site procedures | | | | | |

I (Supplier) confirm that the information provided in this questionnaire is correct and can be verified.

Date: 30 May 2022 Title: Head of Quality

Additional Site-Specific Information (not based on Rx 360 Supplier Assessment Questionnaire)

9. Lot numbering information

Lot numbers are sequentially generated ten-digit number autogenerated by ERP system.

Lot numbering for membrane products follow local procedures.