

## Non-GMP Site Quality Self-Assessment

based on

### **Rx-360 Supplier Assessment Questionnaire**

Module 2, Site Specific Information

Relevant for

Merck & Cie Weisshausmatte Industriegebiet Reuss, Zone N, CH-6460 Altdorf An affiliate of Merck KGaA, Darmstadt, Germany

The site self-assessment covers our quality management system for the following regulated applications:

- Manufacturing of biopharmaceutial process resins

The site also processes GMP related products. For details, please refer to our GMP Quality Site Self-Assessment.



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium

As a trusted partner of our customers, we deliver quality - always.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0 Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000



## **Information**

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 2. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.

Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0

Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000

# Rx-360 Supplier Assessment Questionnaire : Site-Specific Information

Please check here if additional documents are attached.

	SECTION 1. General Site Information				
1.1	Site or Facility-Specific Name: Merck & Cie, Altdorf				
	An affiliate of Merck KGaA, Darmstadt, Germany				
1.2	Address: Weisshausmatte; Industriegebiet Reuss, Zone N, CH-6460 Altdorf				
	GPS Coordinates: 46°52'01.3"N 8°38'00.0"E				
1.3	Phone: Please contact your local Sales representative				
1.4	Email: Please contact your local Sales representative				
1.5	Fax: Please contact your local Sales representative				
1.6	Website: sigmalaldrich.com				

SECTION 2. General Site Operating Information				
2.1	What year did the site start operating? 1969			
2.2	What is the primary activity of the site? (e.g. manufacturing, distribution, etc.) Manufacturing, packaging and release of Bioprocess Resins (BPR) Comment: Downsize filling of packaging sizes below 5 litre is done by Merck KGaA, Darmstadt, Germany Manufacturing, packaging and release of Active Pharmaceutical Ingredient (API) - for details see GMP Site Self-Assessment			
2.3	To which, if any, subdivision of the parent company does the site belong? Life Science is a business of Merck KGaA, Darmstadt, Germany			
2.4	Size of site (in sq. ft. or m.): approx. 8500 sq			
2.5	Please list or attach the normal hours/schedule of the facilities, including shutdown dates (if applicable): Office hours: 8.00 to 17.00 Monday to Friday Operating hours production: 2hrs/3 shift modell from Sun 22.00 till Fr 21.00 All other departments: Mon-Fri 7-12, 13-17			
2.6	Total number of employees on site: 104			
2.7	Total number of employees in Quality: 25			
2.8	Total number of employees in Manufacturing: 37			
2.9	What quality management system is utilized on site?  ISO 9001 ISO 13485 ISO 21 CFR Part 210/211 ISO 22000 ISO 23485 ISO 2001 ISO 13485 ISO 22000 ISO 22000 ISO 22000 ISO 2000 ISO 2000			

SECTION 2. General Site Operating Information			
	Please describe: internal QMS based on divisional quality marker requirement beyond ISO 9001		
	Which Regulatory Initiatives does the site follow/comply with?  ☐ REACH ☐ RoHs ☐ Ca Prop. 65 ☐ WEEE		
2.10	Does the company/site		
2.11	Is the site registered with any government regulatory agency (FDA registration, GMP certification, etc.)?  Yes No N/A  If yes, please specify.  Swissmedic registration No: GMP-CH-1001475 for the manufacturing of API		
2.12	By whom is the site inspected (regulatory or third party) and list inspections within the last three years: For GMP products only: FDA May 2019 Russian FDA Nov 2018 HCS Halal Certification Service June 2019 Swissmedic August 2020 HCS Halal Certification Service July 2021 Blue Inspection Body GmbH (Rx-360) Feb 2016		
2.13	How often, as an annual average, is the site audited by customers or third parties? approx. 10		
2.14	Has an Rx-360 audit been performed at this site? Yes No Please also state the date of the audit if applicable. 23-24 Feb 2016 <a href="http://rx-360.org/audit-programs/">http://rx-360.org/audit-programs/</a>		
2.15	Are you willing to have Rx-360 conduct an audit on behalf of your customers according to the Rx-360 audit programs on your site?  Yes  No		
2.16	Are you willing to have your customers conduct audits on your site?  Yes No		

SECTION 2. General Site Operating Information							
2.17							
2.18	Does the site outsource any quality-	related activity	y?				
	∑ Yes ☐ No ☐	N/A					
	If answering yes, please specify the	activities:					
	<ul> <li>- Maintenance &amp; calibration of equipment</li> <li>- Microbial testing</li> <li>- ICH conform storage of stability samples</li> <li>- Special test procedures (e.g. particle size, NMR and ICP)</li> </ul>						
2.19	Please check the supplier controls in	place for this	s facility:				
2.19a	Quality Agreements with Suppliers	⊠ Yes	☐ No	□ N/A			
2.19b	Subcontractor Qualification/Audit Program	⊠ Yes	☐ No	□ N/A			
2.19c	Periodic Review of Supplier Performance	⊠ Yes	☐ No	□ N/A			
2.19d	Supplier Feedback Program	⊠ Yes	☐ No	□ N/A			
2.19e	Approved Material Supplier List	⊠ Yes	☐ No	□ N/A			
2.19f	11	Yes Yes	☐ No	□ N/A			
Additional comments: 2.9.:Please note that the checks refer to non-GMP processing( manufacturing and release of Bioprocess Resins(BPR) only the site also processes GMP products, please refer to GMP Site Self-Assessment,							
SECTION 3 Objectionable Materials on Site							

SECTION 3. Objectionable Materials on Site							
3.1	Does the site or production plant produce, process or store any of the following:	Yes	No	Not Applicable			
3.1a	Beta-Lactam Antibiotics						
3.1b	Steroids and/or hormones						

3.1c	High potency compounds		$\boxtimes$	
3.1d	Materials of animal origin/Biologics		$\boxtimes$	
3.1e	Live virus or micro-organism			
3.1f	Allergens		$\boxtimes$	
3.1g	Genetically Modified Organisms (GMO)		$\boxtimes$	
3.1h	Agrochemicals (Pesticides, Herbicides, Fungicides, etc.)		$\boxtimes$	
3.1i	Other (Please specify): API: Aminoglycoside Gentamicin Sulfate (man as verified in various audits)	ufactured	d in an isola	ted containment,
	SECTION 4. Cross Contamin	ation C	Control	
4.1	SECTION 4. Cross Contamin Are any of the following cross- contamination controls in place?	ation C	Control No	Not Applicable
4.1 4.1a	Are any of the following cross-			
	Are any of the following cross-contamination controls in place?			
4.1a	Are any of the following cross- contamination controls in place? Dedicated Facilities			
4.1a 4.1b	Are any of the following cross- contamination controls in place?  Dedicated Facilities  Access Controls			
4.1a 4.1b 4.1c	Are any of the following cross- contamination controls in place?  Dedicated Facilities  Access Controls  Dedicated Personnel			
4.1a 4.1b 4.1c 4.1d	Are any of the following cross- contamination controls in place?  Dedicated Facilities  Access Controls  Dedicated Personnel  Dedicated Gowning			

SECTION 5. Site Operating Policies							
5.1 Does the site utilize the following written policies, programs, or procedures?							
Site Spo	ecific:	Yes	No	Not Applicable			
5.1a	Environmental, Health, and Safety						
5.1b	Facility Environmental Control Policy						
5.1c	General Facility Cleaning Procedures						
5.1d	Hygiene and Sterilization Procedures						
5.1e	Validated Equipment Cleaning Procedures						
5.1f	Preventative Maintenance Program/Procedures						
5.1g	Pest Control Program						
5.1h	Master Production Procedure						
Quality	Quality:						
5.1i	Quality Control/Quality Management Policy	$\boxtimes$					
5.1j	Quality Manual						

5.1k	Periodic Product Quality Review	$\square$		
5.11	Master Validation Plan	$\overline{\boxtimes}$		
5.1m	Risk Assessment Program			
5.1n	Supplier Approval Procedure	$\overline{\boxtimes}$		
5.1o	Monitoring and Review of Approved Suppliers			
5.1p	Mechanism to Reduce Testing			
5.1q	Receiving Incoming Inspection			
5.1r	Change Control Procedures			
5.1s	Document Management Policy	$\boxtimes$		
5.1t	Document Retention Policy	$\boxtimes$		
5.1u	Change Notification Procedures for Clients	$\overline{\boxtimes}$		
5.1v	Control of Nonconforming Material			
5.1w	Deviation/Investigation Procedure			
5.1x	Out of Specification Policy and Procedure			
5.1y	Sampling Procedure/Sampling Plan	$\overline{\boxtimes}$		
5.1z	Raw Material Retention Program			
5.1aa	CAPA Procedure			
5.1bb	Label Control and Accountability			
5.1cc	Product Release Procedure			
5.1dd	Employee Training Program			
5.1ee	Stability, Expiration, and Shelf-Life Program			
5.1ff	Product Retention Program	$\boxtimes$		
5.1gg	Recall Procedure	$\boxtimes$		
5.1hh	Customer Complaint Handling	$\boxtimes$		
5.1ii	Equipment validation/qualification procedure	$\boxtimes$		
	SECTION 5. Site Operating P	olicies		
		Yes	No	Not Applicable
5.1jj	Internal audit/self-inspection program procedure	$\boxtimes$		
5.1kk	Site Security/Site Access Control Policies	$\boxtimes$		
5.111	New Hire Program/Induction Program			
Business	S Continuity/Contingency Plan:			
5.1mm	Disaster Recovery Plan	$\square$		
5.1nn	Pandemic Preparedness Plan	$\overline{\square}$		
5.100	Supply Chain Emergency Preparedness Plan	$\overline{\boxtimes}$		
5.1pp	Business Continuity/Contingency Plan	$\overline{\boxtimes}$		
5.1qq	Can the company provide a plan upon request? O below:			
	Disaster Recovery Plan by IT is in place. Busines can be presented on an onsite audit or upon reque		uty/Collt	ingency riail
	can be presented on an onsite addit of upon reque	ol.		

SECTION 6. Quality Assurance and Production				
	SECTION OF Quality Hissarance and House	Yes	No	Not Applicable
6.1	Does the site have an independent and defined Quality Assurance/Quality Management Division?	$\boxtimes$		
6.2	Does QA/QM have authority over the following:			
6.2a	Policies and procedures?	X		
6.2b	Review of documentation for release?			
6.2c	Release or rejection of incoming materials?			
6.3	Does QA/QM investigate and resolve quality complaints?			
6.4	Does QA/QM investigate and resolve internal deviations?			
6.5	Does the QA/QM have the authority to assign a disposition to materials?			
6.6	Does the QA/QM review manufacturing and testing records prior to release?			
6.7	Does the facility utilize computerized systems for managing GxP activities or data?			
6.8	Are relevant computerized systems 21 CFR part 11 and EU GMP annex 11 compliant?			
6.9	Does the site use statistical methods for consistency and uniformity?			
6.10	Does the site use controlled documents for following and recording manufacturing instructions?			
6.11	Does the company qualify and/or validate manufacturing procedures?			
6.12	Is any environmental monitoring conducted in production/finishing areas?			
6.13	Does the site supply BSE/TSE declarations?	X		
6.14	Does the site supply a declaration of Elemental Impurities?			
6.15	Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials?			
6.16	Are stability studies carried out according to ICH guidance?	$\square$		
6.17	Are solvents and mother liquor reused/recycled?	$\boxtimes$		
6.18	Does the site have a process water treatment system?			
6.18a	Please check all that apply to the system:  City/potable water  Distilled water  Dionized water  Water for injection (WFI)  Reverse Osmosis			
1	Clean steam			

SECTION 6. Quality Assurance and Production					
	•		Yes	No	Not Applicable
	Ultra-filtrated water (purified water)	1			
	Other: highly purified dionized water for specia	ii purposes			
6.19	Does the plant have a batch/lot system?		$\boxtimes$		
6.19a	Is the system traceable?				
6.19b	Is it unique?		$\boxtimes$		
6.19c	Is batch/lot manufacturing continuous?			$\boxtimes$	
6.19d	Is manufacturing batch by batch?		$\boxtimes$		
6.20	Does the site perform on-plant audits prior to approveritical GxP suppliers?	ing	$\boxtimes$		
6.21	Does the site audit critical GxP suppliers after initial approval?		$\boxtimes$		
6.22	Does the site inspect incoming materials?		$\square$	П	П
6.23	Does the site test incoming materials to defined				
	specifications?			Ш	
6.24	Does the site establish purchase specifications for raw materials?				
6.25	Is the equipment multi-use?		$\square$		
6.26	Does the site qualify equipment installation?				
6.27	Does the site qualify equipment operation?		$\boxtimes$		
6.28	Does the site qualify equipment performance?		$\boxtimes$		
6.29	Are production critical use instruments calibrated reg	gularly?	$\boxtimes$		
6.30	Is rework allowed?			$\boxtimes$	
6.31	Is reprocessing allowed?		$\boxtimes$		
6.32	Are manufacturing and packaging activities traceabl	e to the			
	equipment, areas, and materials used?				
6.33	Are production materials handled and stored in a maprevent degradation, contamination and cross-contar				
6.34	If answering 'not applicable' for any of the above, p		rate		
0.54	if answering not applicable for any of the above, p	icase ciabol	iaic.		
Additio	nal Comments:				
6.16. Stability studies are carried out according to ICH.					
	SECTION 7. Laboratory Procedures				r this Site
7.1	Doog the gite have standard musedynes for samula	Yes	No	N	ot Applicable
7.1	Does the site have standard procedures for sample handling/tracking?				

SECTION 7. Laboratory Procedures			□ N/A for this S			
		Yes	No	Not Applicable		
7.1a	Does the site have standard procedures for retaining samples?					
7.1b	Does the site have standard procedures for retesting samples?	$\boxtimes$				
7.2	Does the site have written and approved specifications and test methods?	$\boxtimes$				
7.3	Are laboratory instruments calibrated regularly?					
7.4	Is there a standard procedure in place for analytical method development?	$\boxtimes$				
7.5	Does the site qualify and/or validate analytical test procedures?	$\boxtimes$				
7.6	Does the site perform stability testing on materials and/or products?	$\boxtimes$				
7.7	Are retention samples of key raw materials maintained?	$\boxtimes$				
7.8	Are standards traceable to their preparation and reagents used?					
7.9	Are retention samples of finished product maintained?					
7.10	Are shelf life/retest/expiration dates available and standardized?					
7.11	Does the company provide a certificate of analysis (CoA) and/or a Certificate of Conformation/Compliance (CoC) for each lot or batch?	$\boxtimes$				
7.12	Does the CoA/CoC contain the manufacture name and location?		$\boxtimes$			
7.13	Does the CoA/CoC signed/e-signed by a Quality representative?	$\boxtimes$				
7.14	If a repacker performs analyses, will the CoA reflect both the original manufacturing site data as well as the repacking site data?					
7.15	If answering 'not applicable' for any of the above, please elaborate: 7.14 We do not have repacking sub-contractors who perform release testing. Downsize filling of bioprocess resins in smaller packaging sizes below 5 liter is performed at Merck KGA Darmstadt, Germany. Identity of resins is verified after downsize filling. This will not be refected on the CoA  Additional Comments: n/a					
7.10	1 Additional Comments. II/a					

SECTION 8. Packaging, Storage, and Trans			□ N/A	A for this Site
		Yes	No	Not Applicable
8.1	Does the site have a validated or qualified labeling system?	$\boxtimes$		
8.2	Are batch production records retained and available?	$\boxtimes$		
8.3	Are packaging and labeling areas separate from production?			
8.4	Are barcode readers in use and challenged regularly?			
8.5	Are vision systems in use?			
8.6	Is product ever packaged without a label being initially applied (i.e. bright stocking)?			
8.7	Do labels include shelf life/expiration dates?			
8.8	Do labels include lot/batch number?	X		
8.9	Do labels include requirements for storage conditions?	$\boxtimes$		
8.10	Is tamper evident seal used for each container of supplied materials?	$\boxtimes$		
8.11	Does the company use a First-In-First-Out or First-Expiration-First-Out system?	$\boxtimes$		
8.12	Does the company maintain appropriate storage conditions?	$\boxtimes$		
8.12a	Are those storage conditions monitored and documented?	$\boxtimes$		
8.13	Does the site make available a description of storage and/or warehouse conditions?	$\boxtimes$		
8.14	Does the site distribute products via a third party?	$\boxtimes$		
8.15	Are good distribution policies implemented?	$\boxtimes$		
8.16	Are transport mechanisms dedicated?			
8.17	Does the company validate shipping method?			
8.18	Does the company validate packaging methods?	$\boxtimes$		
Additional Comments: These entries refer to the 5 litre package size only. For other package sizes: please refer to the non-GMP site Self-Assessment Darmstadt, Germany 8.9 Only for finished products which are not stored at room temperature ( Darmstadt Germany requirement), 8.13 Yes, on an on-site audit. 8.17 Only on request of customers 8.18 As part of manufacturing process qualification/validation				
manuia	haring process quantication variation			

I (Supplier) confirm that the information provided in this questionnaire is correct and can be verified.

Date: 23. August 2021

Title:Head of Quality Unit Altdorf

### **Additional Site-Specific Information**

#### (not based on Rx 360 Supplier Assessment Questionnaire)

9. Lot numbering information

E.g.: A12345678

first letter = internal code

123456: running digits from ERP system

78: last two digits of item number

A lot is defined as a product volume produced during a fixed period of time or in dependence of the equipment used, respectively. The homogeneity is ensured by fulfilling the requirements defined in the SOP "Guidance for lot homogeneity".