

## Site Quality Self-Assessment

based on

## **Rx-360 Supplier Assessment Questionnaire**

Module 2, Site Specific Information

Relevant for

Polygard®/Clarigard® products

The site self-assessment covers our quality management system for the following regulated applications:
-Manufacturing of Polygard/Clarigard products at our third party subcontractor site in Japan



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium

As a trusted partner of our customers, we deliver quality - always.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0

Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000



## **Information**

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 2. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.

Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

Merck KGaA, Darmstadt, Germany Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany Phone +49 6151 72-0

Sigma-Aldrich Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 3050 Spruce Street St. Louis, MO 63103, USA Phone +1 (800) 521-8956 / +1 (314) 771-5765 EMD Millipore Corporation A subsidiary of Merck KGaA, Darmstadt, Germany 400 Summit Drive Burlington, MA 01803, USA Phone +1 (781) 533-6000

## Rx-360 Supplier Assessment Questionnaire : Site-Specific Information

| Please check here if additional documents are a | паспес | are a | i aocuments are | iaaiiionai | 1T 90 | nere | cneck | Piease | 1 1 |
|---|--------|-------|-----------------|------------|-------|------|-------|--------|-----|
|---|--------|-------|-----------------|------------|-------|------|-------|--------|-----|

|     | SECTION 1. General Site Information   |
|-----|---|
| 1.1 | Site or Facility-Specific Name: The Polygard/Clarigard branded products are manufactured by third party subcontractor located in Japan. Millipore Sigma Corporation's Supply Chain Management Group is responsible for Quality Assurance activities for these products. |
| 1.2 | Address: Address of original manufacturer is disclosed in OMD letter in case a valid and signed confidentiality commitment is in place. Please contact your Sales representative  GPS Coordinates: not disclosed  |
| 1.3 | Phone: Please contact your local Sales representative   |
| 1.4 | Email: Please contact your local Sales representative   |
| 1.5 | Fax:  |
| 1.6 | Website:<br>emdmillipore.com  |

|     | SECTION 2. General Site Operating Information  |  |  |  |  |  |  |
|-----|--|--|--|--|--|--|--|
| 2.1 | What year did the site start operating? 30 years   |  |  |  |  |  |  |
| 2.2 | What is the primary activity of the site? (e.g. manufacturing, distribution, etc.) manufacturing |  |  |  |  |  |  |

|      | SECTION 2. General Site Operating Information  |
|------|--|
| 2.3  | To which, if any, subdivision of the parent company does the site belong?  Production department   |
| 2.4  | Size of site (in sq. ft. or m.): 32,000 m <sup>2</sup>   |
| 2.5  | Please list or attach the normal hours/schedule of the facilities, including shutdown dates (if applicable): 8:30~17:15  |
| 2.6  | Total number of employees on site: 239   |
| 2.7  | Total number of employees in Quality: 14   |
| 2.8  | Total number of employees in Manufacturing: 158  |
| 2.9  | What quality management system is utilized on site?  ☐ ISO 9001 ☐ ISO 13485 ☐ 21 CFR Part 210/211 ☐ 21 CFR Part 820 ☐ European GMP, Eudralex Volume 4 Part I ☐ European GMP, Eudralex Volume 4 Part II ☐ ICH Q7 ☐ HACCP ☐ ISO 22000 ☐ Other Please describe:  Which Regulatory Initiatives does the site follow/comply with? ☐ REACH ☐ ROHS ☐ Ca Prop. 65 ☐ WEEE |
| 2.10 | Does the company/site  |

|       | SECTION 2. General Site Operating Information  |                   |                   |                   |  |  |
|-------|--|-------------------|-------------------|-------------------|--|--|
| 2.11  | Is the site registered with any government GMP certification, etc.)?   |                   |                   |                   |  |  |
| 2.12  | By whom is the site inspected (regulate the last three years:  Japan Quality Assurance Organization          |                   | party) and list i | nspections within |  |  |
| 2.13  | How often, as an annual average, is<br>Once a month  | the site audited  | by customers      | or third parties? |  |  |
| 2.14  | Has an Rx-360 audit been performed Please also state the date of the audit http://rx-360.org/audit-programs/ |                   | Yes               | ⊠ No              |  |  |
| 2.15  | Are you willing to have Rx-360 cond-<br>according to the Rx-360 audit program<br>Yes No                      |                   | •                 | customers         |  |  |
| 2.16  | Are you willing to have your custome Yes No  | ers conduct aud   | its on your site  | ?                 |  |  |
| 2.17  | Please list regulatory sanctions impact warning letters, CEP suspension, impact None                         | _                 |                   | ve years (i.e.    |  |  |
| 2.18  | Does the site outsource any quality-re  Yes No No If answering yes, please specify the ac                    | J/A               |                   |                   |  |  |
| 2.19  | Please check the supplier controls in p  | place for this fa | cility:           |                   |  |  |
| 2.19a | Quality Agreements with Suppliers  | ⊠ Yes             | ☐ No              | □ N/A             |  |  |
| 2.19b | Subcontractor Qualification/Audit<br>Program   | X Yes             | ☐ No              | □ N/A             |  |  |

|               | <b>SECTION 2. General</b>                           | Site Opera      | ting Info | ormatio     | n       |             |
|---------------|---|-----------------|-----------|-------------|---------|-------------|
| 2.19c         | Periodic Review of Supplier<br>Performance          | ⊠ Yes           |           | No          | □ N/A   |             |
| 2.19d         | Supplier Feedback Program                           | Yes Yes         |           | No          | □ N/A   |             |
| 2.19e         | Approved Material Supplier List                     | Yes Yes         |           | No          | □ N/A   |             |
| 2.19f         | Approved Service Supplier List                      | ⊠ Yes           |           | No          | N/A     |             |
| Addit<br>None | ional comments:                                     |                 |           |             |         |             |
|               | SECTION 3. Object                                   | tionable M      | aterials  | on Site     |         |             |
| 3.1           | Does the site or production plant p                 | oroduce,        |           |             |         |             |
|               | process or store any of the following               | ng:             |           |             | Not     | ţ           |
|               |   |                 | Yes       | No          | Applica | able        |
| 3.1a          | Beta-Lactam Antibiotics                             |                 |           | $\boxtimes$ |         |             |
| 3.1b          | Steroids and/or hormones                            |                 |           | $\boxtimes$ |         |             |
| 3.1c          | High potency compounds                              |                 |           | $\boxtimes$ |         |             |
| 3.1d          | Materials of animal origin/Biolog                   | ics             |           | $\boxtimes$ |         |             |
| 3.1e          | Live virus or micro-organism                        |                 |           | $\boxtimes$ |         |             |
| 3.1f          | Allergens   |                 |           | $\boxtimes$ |         |             |
| 3.1g          | Genetically Modified Organisms (                    | (GMO)           |           |             |         |             |
| 3.1h          | Agrochemicals (Pesticides, Herbio Fungicides, etc.) | cides,          |           | $\boxtimes$ |         |             |
| 3.1i          | Other (Please specify):                             |                 |           |             |         |             |
|               | SECTION 4. Cross                                    | <b>Contamin</b> | nation Co | ontrol      |         |             |
| 4.1           | Are any of the following cross-                     |                 | Yes       | No          | Not     | Ţ           |
|               | contamination controls in place                     | ?               | 1 65      |             | Applica | <u>able</u> |
| 4.1a          | Dedicated Facilities                                |                 |           |             |         |             |
| 4.1b          | Access Controls                                     |                 |           |             |         |             |
| 4.1c          | Dedicated Personnel                                 |                 |           |             |         |             |
| 4.1d          | Dedicated Gowning                                   |                 |           |             |         |             |
| 4.1e          | Procedural Controls                                 |                 |           |             |         |             |
| 4.1f          | Other (please specify): Based o                     | n Work Envi     | ronment C | ontrol Pro  | visions |             |
| Add           | litional Comments:                                  |                 |           |             |         |             |

| SECTION 5. Site Operating Policies |  |             |                 |  |  |  |  |
|------------------------------------|--|-------------|-----------------|--|--|--|--|
|                                    |  | <b>X</b> 7  | NT.             | Not  |  |  |  |
| 5.1                                | Does the site utilize the following written                              | Yes 🖂       | No              | Applicable                                       |  |  |  |
| 3.1                                | policies, programs, or procedures?                                       |             |                 |  |  |  |  |
| Site Sne                           |  |             |                 | l  |  |  |  |
| Site Spo                           |  | <u> </u>    |                 |  |  |  |  |
| 5.1a                               | Environmental, Health, and Safety  |             |                 |  |  |  |  |
| 5.1b                               | Facility Environmental Control Policy                                    |             |                 |  |  |  |  |
| 5.1c                               | General Facility Cleaning Procedures                                     |             |                 |  |  |  |  |
| 5.1d                               | Hygiene and Sterilization Procedures                                     |             | $\vdash \vdash$ |  |  |  |  |
| 5.1e                               | Validated Equipment Cleaning Procedures                                  |             |                 |  |  |  |  |
| 5.1f                               | Preventative Maintenance Program/Procedures                              |             |                 |  |  |  |  |
| 5.1g                               | Pest Control Program   |             |                 |  |  |  |  |
| 5.1h                               | Master Production Procedure  | $\boxtimes$ |                 |  |  |  |  |
| Quality                            | :  |             |                 |  |  |  |  |
| 5.1i                               | Quality Control/Quality Management Policy                                |             |                 |  |  |  |  |
| 5.1j                               | Quality Manual   |             |                 |  |  |  |  |
| 5.1k                               | Periodic Product Quality Review  | X           |                 |  |  |  |  |
| 5.11                               | Master Validation Plan   | X           |                 |  |  |  |  |
| 5.1m                               | Risk Assessment Program  | X           |                 |  |  |  |  |
| 5.1n                               | Supplier Approval Procedure  |             |                 |  |  |  |  |
| 5.1o                               | Monitoring and Review of Approved Suppliers                              |             |                 |  |  |  |  |
| 5.1p                               | Mechanism to Reduce Testing  |             |                 |  |  |  |  |
| 5.1q                               | Receiving Incoming Inspection  |             |                 |  |  |  |  |
| 5.1r                               | Change Control Procedures  | X           |                 |  |  |  |  |
| 5.1s                               | Document Management Policy   | M           |                 |  |  |  |  |
| 5.1t                               | Document Retention Policy  | X           |                 |  |  |  |  |
| 5.1u                               | Change Notification Procedures for Clients                               | M           |                 |  |  |  |  |
| 5.1v                               | Control of Nonconforming Material  |             |                 |  |  |  |  |
| 5.1w                               | Deviation/Investigation Procedure  |             |                 |  |  |  |  |
| 5.1x                               | Out of Specification Policy and Procedure                                |             |                 |  |  |  |  |
| 5.1x<br>5.1y                       | Sampling Procedure/Sampling Plan   |             |                 |  |  |  |  |
| 5.1 <sub>y</sub> 5.1 <sub>z</sub>  | Raw Material Retention Program   |             |                 |  |  |  |  |
| 5.1aa                              | CAPA Procedure   |             | + $+$           |  |  |  |  |
| 5.1bb                              | Label Control and Accountability   |             | + $+$           |  |  |  |  |
| 5.1cc                              | Product Release Procedure  |             |                 |  |  |  |  |
| 5.1dd                              |  |             |                 |  |  |  |  |
|                                    | Employee Training Program  Stability Expiration and Shalf Life Program   |             |                 |  |  |  |  |
| 5.1ee<br>5.1ff                     | Stability, Expiration, and Shelf-Life Program  Product Potentian Program |             | $+$ $\vdash$    | <del>                                     </del> |  |  |  |
|                                    | Product Retention Program  Recall Procedure                              |             |                 |  |  |  |  |
| 5.1gg                              |  |             |                 | +  |  |  |  |
| 5.1hh                              | Customer Complaint Handling  |             |                 | <del>                                     </del> |  |  |  |
| 5.1ii                              | Equipment validation/qualification procedure                             |             |                 |  |  |  |  |

| SECTION 5. Site Operating Policies    |   |             |           |                   |  |
|---------------------------------------|---|-------------|-----------|-------------------|--|
|                                       |   | Yes         | No        | Not<br>Applicable |  |
| 5.1jj                                 | Internal audit/self-inspection program procedure          | $\boxtimes$ |           |                   |  |
| 5.1kk                                 | Site Security/Site Access Control Policies                | $\boxtimes$ |           |                   |  |
| 5.111                                 | New Hire Program/Induction Program                        | $\boxtimes$ |           |                   |  |
| Business Continuity/Contingency Plan: |   |             |           |                   |  |
| 5.1mm                                 | Disaster Recovery Plan                                    |             |           |                   |  |
| 5.1nn                                 | Pandemic Preparedness Plan                                | $\boxtimes$ |           |                   |  |
| 5.100                                 | Supply Chain Emergency Preparedness Plan                  | $\boxtimes$ |           |                   |  |
| 5.1pp                                 | Business Continuity/Contingency Plan                      | $\boxtimes$ |           |                   |  |
| 5.1qq                                 | Can the company provide a plan upon request? (below: None | OR provide  | a short o | lescription       |  |

| SECTION 6. Quality Assurance and Production |  |             |    |                   |  |
|---|--|-------------|----|-------------------|--|
|   |  | Yes         | No | Not<br>Applicable |  |
| 6.1   | Does the site have an independent and defined Quality Assurance/Quality Management Division?   |             |    |                   |  |
| 6.2   | Does QA/QM have authority over the following:  |             |    |                   |  |
| 6.2a  | Policies and procedures?   |             |    |                   |  |
| 6.2b  | Review of documentation for release?   |             |    |                   |  |
| 6.2c  | Release or rejection of incoming materials?  |             |    |                   |  |
| 6.3   | Does QA/QM investigate and resolve quality complaints?   | $\boxtimes$ |    |                   |  |
| 6.4   | Does QA/QM investigate and resolve internal deviations?  | $\boxtimes$ |    |                   |  |
| 6.5   | Does the QA/QM have the authority to assign a disposition to materials?                        |             |    |                   |  |
| 6.6   | Does the QA/QM review manufacturing and testing records prior to release?                      |             |    |                   |  |
| 6.7   | Does the facility utilize computerized systems for managing GxP activities or data?            |             |    |                   |  |
| 6.8   | Are relevant computerized systems 21 CFR part 11 and EU GMP annex 11 compliant?                |             |    |                   |  |
| 6.9   | Does the site use statistical methods for consistency and uniformity?                          |             |    |                   |  |
| 6.10  | Does the site use controlled documents for following and recording manufacturing instructions? |             |    |                   |  |
| 6.11  | Does the company qualify and/or validate manufacturing procedures?                             |             |    |                   |  |

| Section   Sect | SECTION 6. Quality Assurance and Production |  |             |    |             |  |  |
|--|---|--|-------------|----|-------------|--|--|
| production/finishing areas?  |   |  | Yes         | No |             |  |  |
| 6.13 Does the site supply BSE/TSE declarations?  6.14 Does the site supply a declaration of Elemental Impurities?  6.15 Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials?  6.16 Are stability studies carried out according to ICH guidance?  6.17 Are solvents and mother liquor reused/recycled?  6.18 Does the site have a process water treatment system?  6.18 Disability possible water  City/potable water  Distilled water  Distilled water  Water for injection (WFI)  Reverse Osmosis  Clean steam  Ultra-filtrated water (purified water)  Other:  6.19 Does the plant have a batch/lot system?  6.19a Is it unique?  6.19b Is batch/lot manufacturing continuous?  6.19c Is batch/lot manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site inspect incoming materials?  6.22 Does the site inspect incoming materials to defined specifications?  6.24 Does the site test incoming materials to defined specifications?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment installation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   | 6.12  |  |             |    |             |  |  |
| 6.14 Does the site supply a declaration of Elemental Impurities? 6.15 Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials? 6.16 Are stability studies carried out according to ICH guidance? 6.17 Are solvents and mother liquor reused/recycled? 6.18 Does the site have a process water treatment system? 6.18 Distilled water plicity of the system: City/potable water Distilled water Distilled water water for injection (WFI) Reverse Osmosis Clean steam Ultra-filtrated water (purified water) Other: 6.19 Does the plant have a batch/lot system? 6.19a Is the system traceable? 6.19b Is it unique? 6.19c Is batch/lot manufacturing continuous? 6.19d Is manufacturing batch by batch? 6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers? 6.21 Does the site audit critical GxP suppliers after initial approval? 6.22 Does the site test incoming materials? 6.23 Does the site test incoming materials to defined specifications? 6.24 Does the site test incoming materials to defined specifications? 6.25 Is the equipment multi-use? 6.26 Does the site qualify equipment installation? 6.27 Does the site qualify equipment operation? 6.28 Does the site qualify equipment operation? 6.29 Are production critical use instruments calibrated regularly?   | 6.13  |  | X           | П  |             |  |  |
| 6.15 Are ICH Q3C(R4) solvents used in the manufacturing process of supplied materials? 6.16 Are stability studies carried out according to ICH guidance? 6.17 Are solvents and mother liquor reused/recycled? 6.18 Does the site have a process water treatment system? 6.18 Diabete site have a process water treatment system?  City/potable water  Distilled water  Distilled water  Distilled water (Mart for injection (WFI)  Reverse Osmosis  Clean steam  Ultra-filtrated water (purified water)  Other:  6.19 Does the plant have a batch/lot system? 6.19a Is the system traceable? 6.19b Is it unique? 6.19c Is batch/lot manufacturing continuous? 6.19d Is manufacturing batch by batch? 6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers? 6.21 Does the site audit critical GxP suppliers after initial approval? 6.22 Does the site test incoming materials? 6.23 Does the site test incoming materials to defined specifications? 6.24 Does the site test incoming materials to defined specifications? 6.25 Is the equipment multi-use? 6.26 Does the site qualify equipment installation? 6.27 Does the site qualify equipment operation? 6.28 Does the site qualify equipment operation? 6.29 Are production critical use instruments calibrated regularly?  |   |  |             |    |             |  |  |
| 6.16 Are stability studies carried out according to ICH guidance?  6.17 Are solvents and mother liquor reused/recycled?  6.18 Does the site have a process water treatment system?  6.18a Please check all that apply to the system:  City/potable water  Distilled water  Dionized water  Water for injection (WFI)  Reverse Osmosis  Clean steam  Ultra-filtrated water (purified water)  Other:  6.19 Does the plant have a batch/lot system?  6.19a Is it unique?  6.19b Is it unique?  6.19c Is batch/lot manufacturing continuous?  6.19d Is manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site test incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment operation?  6.29 Are production critical use instruments calibrated regularly?  |   | Are ICH Q3C(R4) solvents used in the manufacturing process |             |    |             |  |  |
| 6.17 Are solvents and mother liquor reused/recycled?  6.18 Does the site have a process water treatment system?  6.18a Please check all that apply to the system:  □ City/potable water □ Distilled water □ Distilled water □ Water for injection (WFI) □ Reverse Osmosis □ Clean steam □ Ultra-filtrated water (purified water) □ Other:  6.19 Does the plant have a batch/lot system?  6.19a Is the system traceable?  Is it unique?  6.19b Is sumplication gontinuous?  6.19c Is batch/lot manufacturing continuous?  6.19d Is manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site est incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   | 6.16  |  | $\Box$      |    | $\square$   |  |  |
| 6.18 Does the site have a process water treatment system?  6.18a Please check all that apply to the system:  ☐ City/potable water ☐ Distilled water ☐ Dionized water ☐ Dionized water ☐ Water for injection (WFI) ☐ Reverse Osmosis ☐ Clean steam ☐ Ultra-filtrated water (purified water) ☐ Other:  6.19 Does the plant have a batch/lot system? 6.19a Is the system traceable?  6.19b Is it unique? 6.19c Is batch/lot manufacturing continuous? 6.19d Is manufacturing batch by batch? 6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers? 6.21 Does the site audit critical GxP suppliers after initial approval? 6.22 Does the site inspect incoming materials? 6.23 Does the site test incoming materials to defined specifications? 6.24 Does the site establish purchase specifications for raw materials? 6.25 Is the equipment multi-use? 6.26 Does the site qualify equipment installation? 6.27 Does the site qualify equipment operation? 6.28 Does the site qualify equipment operation? 6.29 Are production critical use instruments calibrated regularly?  |   |  | H           | H  |             |  |  |
| City/potable water   |   |  |             | H  |             |  |  |
| City/potable water   Distilled water   Distilled water   Distilled water   Dionized water   Dionized water   Water for injection (WFI)   Reverse Osmosis   Clean steam   Ultra-filtrated water (purified water)   Other:    6.19   |   |  |             |    |             |  |  |
| Distilled water   Dionized water   Water for injection (WFI)   Reverse Osmosis   Clean steam   Ultra-filtrated water (purified water)   Other:   | 0.16a                                       |  |             |    |             |  |  |
| Dionized water  Water for injection (WFI)  Reverse Osmosis  Clean steam  Ultra-filtrated water (purified water)  Other:  6.19 Does the plant have a batch/lot system?  6.19a Is the system traceable?  Sit unique?  6.19b Is it unique?  6.19c Is batch/lot manufacturing continuous?  6.19d Is manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?  |   |  |             |    |             |  |  |
| Water for injection (WFI)  |   |  |             |    |             |  |  |
| Reverse Osmosis Clean steam Ultra-filtrated water (purified water) Other:  6.19 Does the plant have a batch/lot system? 6.19a Is the system traceable?  6.19b Is it unique? 6.19c Is batch/lot manufacturing continuous? 6.19d Is manufacturing batch by batch? 6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers? 6.21 Does the site audit critical GxP suppliers after initial approval? 6.22 Does the site test incoming materials? 6.23 Does the site test incoming materials to defined specifications? 6.24 Does the site establish purchase specifications for raw materials? 6.25 Is the equipment multi-use? 6.26 Does the site qualify equipment installation? 6.27 Does the site qualify equipment operation? 6.28 Does the site qualify equipment performance? 6.29 Are production critical use instruments calibrated regularly?   |   |  |             |    |             |  |  |
| Clean steam  ☐ Ultra-filtrated water (purified water) ☐ Other:  6.19 Does the plant have a batch/lot system? 6.19a Is the system traceable? ☐ Is it unique? ☐ Is it unique? ☐ Is batch/lot manufacturing continuous? ☐ Is manufacturing batch by batch? ☐ Does the site perform on-plant audits prior to approving critical GxP suppliers? ☐ Does the site audit critical GxP suppliers after initial approval? ☐ Does the site inspect incoming materials? ☐ Does the site test incoming materials to defined specifications? ☐ Does the site establish purchase specifications for raw materials? ☐ Does the site qualify equipment installation? ☐ C.20 Does the site qualify equipment operation? ☐ Does the site qualify equipment operation? ☐ Does the site qualify equipment performance?   |   | <u> </u>   |             |    |             |  |  |
| ☐ Ultra-filtrated water (purified water)   |   |  |             |    |             |  |  |
| Other:   |   |  |             |    |             |  |  |
| 6.19 Does the plant have a batch/lot system?  6.19a Is the system traceable?  6.19b Is it unique?  6.19c Is batch/lot manufacturing continuous?  6.19d Is manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?  |   | 1 = 7  |             |    |             |  |  |
| 6.19a   Is the system traceable?   |   | Other:   |             |    |             |  |  |
| Is it unique?  | 6.19  | Does the plant have a batch/lot system?                    |             |    |             |  |  |
| 6.19c Is batch/lot manufacturing continuous?  6.19d Is manufacturing batch by batch?  6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   | 6.19a                                       | Is the system traceable?                                   | $\boxtimes$ |    |             |  |  |
| 6.19c   Is batch/lot manufacturing continuous?   | 6.19b                                       | Is it unique?  | $\boxtimes$ |    |             |  |  |
| 6.19d   Is manufacturing batch by batch?   | 6.19c                                       | Is batch/lot manufacturing continuous?                     | $\square$   |    |             |  |  |
| 6.20 Does the site perform on-plant audits prior to approving critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   |   |  |             |    |             |  |  |
| critical GxP suppliers?  6.21 Does the site audit critical GxP suppliers after initial approval?  6.22 Does the site inspect incoming materials?  6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   |   |  |             |    |             |  |  |
| Does the site audit critical GxP suppliers after initial approval?   |   |  |             | Ш  |             |  |  |
| 6.22 Does the site inspect incoming materials? □   6.23 Does the site test incoming materials to defined specifications? □   6.24 Does the site establish purchase specifications for raw materials? □   6.25 Is the equipment multi-use? □   6.26 Does the site qualify equipment installation? □   6.27 Does the site qualify equipment operation? □   6.28 Does the site qualify equipment performance? □   6.29 Are production critical use instruments calibrated regularly? □  | 6.21  | Does the site audit critical GxP suppliers after initial   |             |    | $\boxtimes$ |  |  |
| 6.23 Does the site test incoming materials to defined specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  | 6.22  |  |             |    |             |  |  |
| specifications?  6.24 Does the site establish purchase specifications for raw materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   |   |  |             |    |             |  |  |
| materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   | 0.23  | <u> </u>   |             |    |             |  |  |
| materials?  6.25 Is the equipment multi-use?  6.26 Does the site qualify equipment installation?  6.27 Does the site qualify equipment operation?  6.28 Does the site qualify equipment performance?  6.29 Are production critical use instruments calibrated regularly?   | 6.24  | Does the site establish purchase specifications for raw    |             |    |             |  |  |
| 6.26 Does the site qualify equipment installation? □ □ □ 6.27 Does the site qualify equipment operation? □ □ 6.28 Does the site qualify equipment performance? □ □ □ 6.29 Are production critical use instruments calibrated regularly? □ □  |   | <u> </u>   |             |    |             |  |  |
| 6.27       Does the site qualify equipment operation?       □       □         6.28       Does the site qualify equipment performance?       □       □         6.29       Are production critical use instruments calibrated regularly?       □       □   | 6.25  | <u> </u>   |             |    |             |  |  |
| 6.28 Does the site qualify equipment performance?  | 6.26  | Does the site qualify equipment installation?              |             |    |             |  |  |
| 6.28 Does the site qualify equipment performance?  | 6.27  | Does the site qualify equipment operation?                 | $\boxtimes$ |    |             |  |  |
| 6.29 Are production critical use instruments calibrated regularly?   |   | Does the site qualify equipment performance?               |             |    |             |  |  |
|  |   |  |             |    |             |  |  |
|  |   |  |             | 同  |             |  |  |

| SECTION 6. Quality Assurance and Production                                |  |             |             |                   |  |
|--|--|-------------|-------------|-------------------|--|
|  |  | Yes         | No          | Not<br>Applicable |  |
| 6.31   | Is reprocessing allowed?   |             | $\boxtimes$ |                   |  |
| 6.32   | Are manufacturing and packaging activities traceable to the equipment, areas, and materials used?                      |             |             |                   |  |
| 6.33   | Are production materials handled and stored in a manner to prevent degradation, contamination and cross-contamination? | $\boxtimes$ |             |                   |  |
| 6.34 If answering 'not applicable' for any of the above, please elaborate: |  |             |             |                   |  |
| Additio  | onal Comments:   |             | •           | _                 |  |

|      | SECTION 7. Laboratory Procedures  |             | N/A         | for this Site  |
|------|---|-------------|-------------|----------------|
|      |   | Yes         | No          | Not Applicable |
| 7.1  | Does the site have standard procedures for sample handling/tracking?  |             |             |                |
| 7.1a | Does the site have standard procedures for retaining samples?   |             |             |                |
| 7.1b | Does the site have standard procedures for retesting samples?   | $\boxtimes$ |             |                |
| 7.2  | Does the site have written and approved specifications and test methods?  | $\boxtimes$ |             |                |
| 7.3  | Are laboratory instruments calibrated regularly?  |             |             |                |
| 7.4  | Is there a standard procedure in place for analytical method development?   | $\boxtimes$ |             |                |
| 7.5  | Does the site qualify and/or validate analytical test procedures?   | $\boxtimes$ |             |                |
| 7.6  | Does the site perform stability testing on materials and/or products?   | $\boxtimes$ |             |                |
| 7.7  | Are retention samples of key raw materials maintained?  | $\boxtimes$ |             |                |
| 7.8  | Are standards traceable to their preparation and reagents used?   | $\boxtimes$ |             |                |
| 7.9  | Are retention samples of finished product maintained?   |             | $\boxtimes$ |                |
| 7.10 | Are shelf life/retest/expiration dates available and standardized?  | $\boxtimes$ |             |                |
| 7.11 | Does the company provide a certificate of analysis (CoA) and/or a Certificate of Conformation/Compliance (CoC) for each lot or batch? | $\boxtimes$ |             |                |

| SECTION 7. Laboratory Procedures             |   |             | <b>N/A for this Site</b> |                |
|--|---|-------------|--------------------------|----------------|
|  |   | Yes         | No                       | Not Applicable |
| 7.12   | Does the CoA/CoC contain the manufacture name and location?   |             |                          |                |
| 7.13   | Does the CoA/CoC signed/e-signed by a Quality representative?   |             |                          |                |
| 7.14   | If a repacker performs analyses, will the CoA reflect both the original manufacturing site data as well as the repacking site data? |             |                          |                |
| 7.15   | If answering 'not applicable' for any of the above,   | please elal | oorate:                  |                |
| 7.16   | Additional Comments:  |             |                          |                |
| _  |   |             |                          |                |
| SECTION 8. Packaging, Storage, and Transport |   |             | ☐ N/A for this Site      |                |
|  |   | Yes         | No                       | Not Applicable |
| 8.1  | Does the site have a validated or qualified labeling system?  |             |                          |                |
| 8.2  | Are batch production records retained and available?  | $\boxtimes$ |                          |                |
| 8.3  | Are packaging and labeling areas separate from production?  |             |                          |                |
| 8.4  | Are barcode readers in use and challenged regularly?  | $\boxtimes$ |                          |                |
| 8.5  | Are vision systems in use?  |             |                          |                |
| 8.6  | Is product ever packaged without a label being initially applied (i.e. bright stocking)?  | $\boxtimes$ |                          |                |
| 8.7  | Do labels include shelf life/expiration dates?  |             |                          |                |
| 8.8  | Do labels include lot/batch number?   |             |                          |                |
| 8.9  | Do labels include requirements for storage conditions?  |             |                          |                |
| 8.10   | Is tamper evident seal used for each container of supplied materials?   |             |                          |                |
| 8.11   | Does the company use a First-In-First-Out or First-Expiration-First-Out system?   | $\boxtimes$ |                          |                |
| 8.12   | Does the company maintain appropriate storage conditions?   |             |                          |                |
| 8.12a  | Are those storage conditions monitored and documented?  |             |                          |                |
| 8.13   | Does the site make available a description of storage and/or warehouse conditions?  |             |                          |                |
| 8.14   | Does the site distribute products via a third party?  |             |                          |                |
| 8.15   | Are good distribution policies implemented?   |             |                          |                |

| SECTION 8. Packaging, Storage, and Transp |  |             | ☐ N/A for this Site |                |  |  |
|---|--|-------------|---------------------|----------------|--|--|
|   |  | Yes         | No                  | Not Applicable |  |  |
| 8.16                                      | Are transport mechanisms dedicated?          |             |                     |                |  |  |
| 8.17                                      | Does the company validate shipping method?   |             |                     |                |  |  |
| 8.18                                      | Does the company validate packaging methods? | $\boxtimes$ |                     |                |  |  |
| Additional Comments:                      |  |             |                     |                |  |  |

I (Supplier) confirm that the information provided in this questionnaire is correct and can be verified.

Date:2022 August 22nd

Title:Supplier Quality Engineering Manager