



# Site Quality Self-Assessment

based on

## Rx-360 Supplier Assessment Questionnaire Module 4, Service Supplier

Relevant for

**Process Solution Field Service EMEA**  
**39 ZI de la Hardt**  
**67120 Molsheim**  
**France**

The site self-assessment covers our quality management system for the following applications:  
- Calibration, installation, repair and maintenance service at customer site



As a trusted partner of our customers, we deliver quality  
- always.

Merck KGaA, Darmstadt, Germany  
Corporation with General Partners  
Frankfurter Str. 250  
64293 Darmstadt, Germany  
Phone +49 6151 72-0

Sigma-Aldrich Corporation  
A subsidiary of Merck KGaA, Darmstadt, Germany  
3050 Spruce Street  
St. Louis, MO 63103, USA  
Phone +1 (800) 521-8956 / +1 (314) 771-5765

EMD Millipore Corporation  
A subsidiary of Merck KGaA, Darmstadt, Germany  
400 Summit Drive Burlington,  
MA 01803, USA  
Phone +1 (781) 533-6000



## Information

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 4. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.

Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.



Merck KGaA, Darmstadt, Germany  
Corporation with General Partners  
Frankfurter Str. 250  
64293 Darmstadt, Germany  
Phone +49 6151 72-0

Sigma-Aldrich Corporation  
A subsidiary of Merck KGaA, Darmstadt, Germany  
3050 Spruce Street  
St. Louis, MO 63103, USA  
Phone +1 (800) 521-8956 / +1 (314) 771-5765

EMD Millipore Corporation  
A subsidiary of Merck KGaA, Darmstadt, Germany  
400 Summit Drive Burlington,  
MA 01803, USA  
Phone +1 (781) 533-6000

## Rx-360 Supplier Assessment Questionnaire : Service Supplier

Please check here if additional documents are attached.

<b>SECTION 1. General Site Information</b>	
1.1	Site or Facility-Specific Name: Field Services organization FOR PROCESS SOLUTION SERVICE in Europe, EMEA
1.2	Address: 39 ZI de la Hardt 67120 Molsheim / France  GPS Coordinates (Map Coordinates/Longitude & Latitude): 48.541840, 7.531790
1.3	Phone: please contact your Sales representative / Commercial service
1.4	Email: please contact your local Sales representative / Commercial service
1.5	Fax: please contact your local Sales representative / Commercial service
1.6	Website: www.sigmaaldrich.com
1.7	If there is an individual contact for the following areas, please provide name and preferred contact information (at a minimum, name and telephone number or email): Quality: see 1.4 Technical Services: see 1.4 Commercial/Business/Sales: see 1.4 Primary Site Contact: see 1.4

## SECTION 2. Service Specific

Does your service impact or involve any of the following categories? Please check all that apply and fill out the relevant submodule.

- Laboratoires
- Calibration Services
- Validation Services
- Engineering Services
- Sterilization Services
- Consultant Services
- Warehouse, Distribution
- Transportation Services

If the offered service is not listed above, please fill and check related sections and describe your service within “Other:” Installation Services, Qualification Services (SAT IQ/OQ), support on PQ, Repair Services, Preventative Maintenance Services (PM).

<b>Section 3. Quality Management System (QMS)</b>	
3.1	Does the QMS apply to the services provided at this site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3.2	If no to question 3.1, please identify the relevant QMS: N/A
3.3	Please identify the last audit of the Quality Management System by the appropriate body:certified sites see ISO 9001 IQ Net certificate on SIAL.com
3.4	Does the company or any of its employees belong to the following organizations? <input type="checkbox"/> ASQ <input type="checkbox"/> ISPER <input checked="" type="checkbox"/> Rx-360 <input type="checkbox"/> PDA <input type="checkbox"/> Other
3.4.a	Do employees or consultants for the company hold certifications from the organizations listed above or other industry organizations? <input type="checkbox"/> ASQ <input type="checkbox"/> ISPE <input type="checkbox"/> PDA <input checked="" type="checkbox"/> Other ISO 9001:2015 certification
3.5	Do you subcontract any of your activities to outside companies? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3.5a	If yes, please list: <input type="checkbox"/> See attached 1. We reserve the right to periodically subcontract services to companies which have been qualified. 2. 3.
3.5b	Please check which of the following would occur should activities be outsourced: (check all that apply) <input type="checkbox"/> Notify customers prior to any outsourcing of activities <input type="checkbox"/> Information would be noted on any supporting documentation <input checked="" type="checkbox"/> Other upon request <input type="checkbox"/> N/A (there would be no notification or way to tell of any outsourced activities)

3.5c	Does your company maintain a register/list of all subcontractors that are used for services?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3.5d	Is there a quality agreement in place with subcontractors?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3.5e	How often are the subcontractors audited? case by case decision in function of the risk impact analyse	
3.5f	Is there a confidentiality agreement in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3.5g	Is there a services agreement in place with the subcontractors?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>Comments</b> <b>(Please reference appropriate question number for any additional comments)</b>		
3.5d & 3.5g We have contracts in place with our sub-contractors that cover and define our expectations & requirements		

<b>Section 4. Personnel, Training and Education</b>		
4.1	Do you have written job descriptions for all personnel?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4.2	Do you maintain records of the training?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4.3	Are your personnel aware that the products/services supplied are used for the manufacturing of active pharmaceutical ingredients?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4.4	Does the Training Program in place have the following elements:	
4.4a	Formal Introduction to Regulatory Guidance (GMP, GDP, ISO, etc.)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4.4b	Periodic assessment of practical effectiveness?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4.4c	Periodic refresher training programs for established employees?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Comments</b> <b>(Please reference appropriate question number for any additional comments)</b>		
4.4a Service personel going to GMP / GLP customers need to be trained according to customer's GMP/GLP procedures		

4.4c Refresher program is initial training content or mentoring after evaluation through the competency matrix document.

**I certify that the information is correct and verifiable.**  Yes  No

Date: March 10 2022

Title: Head of PS-FS Quality

**Additional - Specific Information  
PS-Field Service, EMEA  
(not based on Rx 360 Supplier Assessment Questionnaire)**



## 1. General Information

### a) Site Information

1. How is access to facility controlled?	Badge access
2. SIRET Code(s)	43469119200018
3. SIREN Code(s)	434 691 192

### b) Regulatory/Certification Information

	<b>Yes</b>	<b>No</b>
1. ISO 9001 Certified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Initial date of ISO 9001 certification.	1991	
3. Date of last ISO 9001 certificate.	Nov 2020	
4. ISO 14001 Certified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. Initial date of ISO 14001 certification.	1997	
6. Date of last ISO 14001 certificate.	Dec 2020	
7. GMP or GLP certified?	<input type="checkbox"/>	<input checked="" type="checkbox"/>

### c) Change Control

	<b>Yes</b>	<b>No</b>
1. Do you have a computerized Change Control process?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Does the Change Control Procedure include equipment, facilities, materials, utilities, documentation, and testing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### d) Buildings/Utilities

	<b>Yes</b>	<b>No</b>
1. Is there a defined schedule for housekeeping in service areas?	<input checked="" type="checkbox"/>	<input type="checkbox"/>



**Additional - Specific Information  
PS-Field Service, EMEA  
(not based on Rx 360 Supplier Assessment Questionnaire)**



## 2. Quality Organization

### a) General

	<b>Yes</b>	<b>No</b>
1. Is there an Organizational Chart available to customers during on-site audit?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Can the Quality Unit escalate quality issues outside operations to life science (LS) or Merck KGaA, Darmstadt Germany Quality Unit?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Are there requirements for when retraining should be conducted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. How long are records of test results kept?	11 years	

## 3. Measuring Controls

### a) Standards and Measuring & Testing Equipment (MTE)

	<b>Yes</b>	<b>No</b>
1. Are calibration standards and MTE kept in a secure area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Is maintenance/calibration coordinated by an electronic system?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Are there systems to prevent inadvertent use of rejected standards and MTE?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Are storage areas for calibration standards and MTE restricted to authorized personnel?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. Is there a procedure in place to notify customers of non-conforming standards?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Is a 4:1 (TUR) uncertainty ratio between the standard and instrument calibrated maintained for all calibrations?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. If a 4:1 (TUR) uncertainty ratio cannot be maintained is the customer informed? Note: Yes. Information on Service executed Protocol signed by customer.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8. Are standards and MTE labeled with a unique number?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9. Are standards and MTE labeled with calibration that contain the date calibrated and calibration due date?	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### b) Traceability, Uncertainty and Calibration Methods

	<b>Yes</b>	<b>No</b>
1. To which standards organization is the instrumentation traceable?	Example: Cofrac (France) or NIST (NA) or local specific country ISO17025 lab	

**Additional - Specific Information  
PS-Field Service, EMEA  
(not based on Rx 360 Supplier Assessment Questionnaire)**



	<b>Yes</b>	<b>No</b>
2. Is there an Out of Tolerance procedure?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Are calibration labels placed on all equipment that is calibrated?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Are customers notified in the event of an OOT that impacts their testing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>

## 4. General information

	<b>Yes</b>	<b>No</b>
1. Scope for EMEA PS Field Services	<b>On PS equipment</b>	
a. Preventive maintenance	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b. Repairs activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c. SAT Site Acceptance Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. IQ / OQ, PQ Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. ISO9001 V2015 certified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Is there a job description available for service staff?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Are records of service staff qualifications and training held?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. Do you have a procedure and / or training management system?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Does the company use subcontractors to perform the service?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. Does your company have a formal procedure for the approval, management of subcontractors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8. Do subcontractors have written procedures for servicing of actual equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9. Do you audit / evaluate your subcontractors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. Is each item of reference equipment uniquely identified?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11. Is all reference equipment traceably calibrated?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12. Do you have a procedure for qualification of reference equipment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
13. Do you have a procedure for scheduling services?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
14. Do you have indicators for measuring service delivery?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15. Do you have a procedure for handling non-conformity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
16. Are documented technical procedures, service protocol, or methods maintained?	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**Additional - Specific Information**  
**PS-Field Service, EMEA**  
**(not based on Rx 360 Supplier Assessment Questionnaire)**



	<b>Yes</b>	<b>No</b>
17. Do the work reference specify the manner of recording results?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
18. Is a work reference required for service issued to all service staff?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
19. Are the required calibration / verification points defined in advance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20. Are copies of reference equipment certificates provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
21. Do you have a process for handling repairs?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
22. Do you have regional capability for your engineers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
23. Do you deliver specific documentation when carrying out the services(s)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
24. Do you have a document archiving procedure?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
25. Do you have a list of recommended spare parts?	At demand	