

Site Quality Self-Assessment

based on

Rx-360 Supplier Assessment Questionnaire

Module 2, Site Specific Information

Relevant for

EMD Millipore Corporation 28820 Single Oak Drive Temecula, CA 92590, USA

An affiliate of Merck KGaA, Darmstadt, Germany

The site self-assessment covers our quality management system for the following regulated applications:

- Design and development, manufacturing of research use only reagents and kits



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium

As a trusted partner of our customers, we deliver quality - always.

Merck KGaA Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt, Germany The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Information

This document is based on the Rx-360 Consortium's Supplier Assessment Questionnaire template, Module 2. The contents of this questionnaire are built on the Rx-360 questionnaire version 2.0 intact with no question added or deleted.

Rx-360's CEO/COO gave permission to Life Science to use the Rx-360 logo.



Merck KGaA, Darmstadt, Germany is an active member of the Rx 360 Consortium.

Merck KGaA Corporation with General Partners Frankfurter Str. 250 64293 Darmstadt Germany

Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Rx-360 Supplier Assessment Questionnaire : Site-Specific Information

Please	check	here if	additional	documents	are attached.

	cility-Specific Name:
FMD Mil	
LIVID IVIII	lipore Corporation
1.2 Address:	
	ngle Oak Drive Temecula, CA 92590 USA
GPS Coo	
Latitude:	33.499252 , Longitude: -117.159845
1 2 D1	
1.3 Phone:	1 101
Please co	ntact your local Sales representative
1.4 Email:	
Please co	ntact your local Sales representative
1.5 Fax:	
Please co	ntact your local Sales representative
1.6 Website:	
	durillin one com
www.em	dmillipore.com

	SECTION 2. General Site Operating Information						
2.1	What year did the site start operating? 1993						
2.2	What is the primary activity of the site? (e.g. manufacturing, distribution, etc.) Design and Development, Manufacture, and Distribution of Research Use Only reagents and kits						
2.3	To which, if any, subdivision of the parent company does the site belong? Life Science (LS) business of Merck KGaA, Darmstadt, Germany						

	SECTION 2. General Site Operating Information				
2.4	Size of site (in sq. ft. or m.): 117,000 square feet				
2.5	Please list or attach the normal hours/schedule of the facilities, including shutdown dates (if applicable): Monday - Friday, 8:00 AM to 5:00 PM				
2.6	Total number of employees on site: 160				
2.7	Total number of employees in Quality: 20				
2.8	Total number of employees in Manufacturing: 94 in Manufacturing, 30 in Distribution				
2.9	What quality management system is utilized on site? ☐ ISO 9001 ☐ ISO 13485 ☐ 21 CFR Part 210/211 ☐ 21 CFR Part 820 ☐ European GMP, Eudralex Volume 4 Part I ☐ European GMP, Eudralex Volume 4 Part II ☐ ICH Q7 ☐ HACCP ☐ ISO 22000 ☐ Other Please describe: Complaint handling in compliance with 21 CFR Part 820 only applies to our IVD class Light Diagnostic product line. All other materials are Research Use Only class and these are designed and manufactured per a Quality System in alignment with corporate policies and ISO 9001:2015. Which Regulatory Initiatives does the site follow/comply with? ☐ REACH ☐ RoHs ☐ Ca Prop. 65 ☐ WEEE				
2.10	Does the company/site				

	SECTION 2. General Site Operating Information
2.11	Is the site registered with any government regulatory agency (FDA registration, GMP certification, etc.)? Yes No N/A If yes, please specify. FDA, USDA
2.12	By whom is the site inspected (regulatory or third party) and list inspections within the last three years: DQS (ISO 9001:2015) USDA APHIS (EU Intermediate Plant Renewal) Others (not within past 3 years, but still subject to routine or for-cause inspection): California Food and Drug Branch FDA
2.13	How often, as an annual average, is the site audited by customers or third parties? 5 audits/year
2.14	Has an Rx-360 audit been performed at this site? Yes No Please also state the date of the audit if applicable. N/A http://rx-360.org/audit-programs/
2.15	Are you willing to have Rx-360 conduct an audit on behalf of your customers according to the Rx-360 audit programs on your site? Yes No
2.16	Are you willing to have your customers conduct audits on your site? Yes No
2.17	Please list regulatory sanctions impacting the site within the last five years (i.e. warning letters, CEP suspension, import alerts, etc.): None
2.18	Does the site outsource any quality-related activity?
	If answering yes, please specify the activities:
	Samples sent for outside/third party testing related to sterility and/or chemistry-related properties.
2.19	Please check the supplier controls in place for this facility:

	SECTION 2. General S	Site Operat	ing Informati	ion
2.19a	Quality Agreements with Suppliers	⊠ Yes	☐ No	□ N/A
2.19b	Subcontractor Qualification/Audit Program	⊠ Yes	☐ No	□ N/A
2.19c	Periodic Review of Supplier Performance	⊠ Yes	☐ No	□ N/A
2.19d	Supplier Feedback Program	Yes	⊠ No	□ N/A
2.19e	Approved Material Supplier List	⊠ Yes	☐ No	□ N/A
2.19f	Approved Service Supplier List	⊠ Yes	☐ No	N/A
Addit	ional comments:			
~	ty Agreements are only required for a	-	• • • •	~
	ontractor qualification and/or audits is	/are covered v	within the Suppli	er Management
Progr	am.			

SECTION 3. Objectionable Materials on Site							
3.1	Does the site or production plant produce, process or store any of the following:	Yes	No	Not Applicable			
3.1a	Beta-Lactam Antibiotics						
3.1b	Steroids and/or hormones		\boxtimes				
3.1c	High potency compounds						
3.1d	Materials of animal origin/Biologics						
3.1e	Live virus or micro-organism						
3.1f	Allergens						
3.1g	Genetically Modified Organisms (GMO)	\boxtimes					
3.1h	Agrochemicals (Pesticides, Herbicides, Fungicides, etc.)						
3.1i Other (Please specify): 3.1h Some preservatives used at the site would be considered a fungicide.							
	SECTION 4. Cross Contami	nation C	Control				
4.1	Are any of the following cross-contamination controls in place?	Yes	No	Not Applicable			

4.1a	Dedicated Facilities					
4.1b	Access Controls					
4.1c	Dedicated Personnel					
4.1d	Dedicated Gowning					
4.1e	Procedural Controls					
4.1f	Other (please specify): N/A					
Addi	Additional Comments: N/A					

SECTION 5. Site Operating Policies					
5.1	Does the site utilize the following written polici	es, prog	rams, or p	rocedures?	
Site Spec	cific:	Yes	No	Not Applicable	
5.1a	Environmental, Health, and Safety				
5.1b	Facility Environmental Control Policy				
5.1c	General Facility Cleaning Procedures				
5.1d	Hygiene and Sterilization Procedures				
5.1e	Validated Equipment Cleaning Procedures				
5.1f	Preventative Maintenance Program/Procedures	\boxtimes			
5.1g	Pest Control Program	\boxtimes			
5.1h	Master Production Procedure	\boxtimes			
Quality:					
5.1i	Quality Control/Quality Management Policy				
5.1j	Quality Manual				
5.1k	Periodic Product Quality Review				
5.11	Master Validation Plan				
5.1m	Risk Assessment Program				
5.1n	Supplier Approval Procedure				
5.1o	Monitoring and Review of Approved Suppliers				
5.1p	Mechanism to Reduce Testing				
5.1q	Receiving Incoming Inspection				
5.1r	Change Control Procedures				
5.1s	Document Management Policy				
5.1t	Document Retention Policy				
5.1u	Change Notification Procedures for Clients				
5.1v	Control of Nonconforming Material				
5.1w	Deviation/Investigation Procedure				
5.1x	Out of Specification Policy and Procedure				
5.1y	Sampling Procedure/Sampling Plan				
5.1z	Raw Material Retention Program				
5.1aa	CAPA Procedure				
5.1bb	Label Control and Accountability				

Product Release Procedure					
Employee Training Program					
Stability, Expiration, and Shelf-Life Program	\boxtimes				
Product Retention Program					
Recall Procedure					
Customer Complaint Handling					
Equipment validation/qualification procedure	\boxtimes				
SECTION 5. Site Operating P	Policies				
	Yes	No	Not Applicable		
Internal audit/self-inspection program procedure					
Site Security/Site Access Control Policies					
New Hire Program/Induction Program					
Continuity/Contingency Plan:					
Disaster Recovery Plan					
Pandemic Preparedness Plan					
Supply Chain Emergency Preparedness Plan					
Business Continuity/Contingency Plan					
Can the company provide a plan upon request? OR provide a short description below: The plans are documents in Standard Operating Procedures.					
	Employee Training Program Stability, Expiration, and Shelf-Life Program Product Retention Program Recall Procedure Customer Complaint Handling Equipment validation/qualification procedure SECTION 5. Site Operating F Internal audit/self-inspection program procedure Site Security/Site Access Control Policies New Hire Program/Induction Program Continuity/Contingency Plan: Disaster Recovery Plan Pandemic Preparedness Plan Supply Chain Emergency Preparedness Plan Business Continuity/Contingency Plan	Employee Training Program Stability, Expiration, and Shelf-Life Program Product Retention Program Recall Procedure Customer Complaint Handling Equipment validation/qualification procedure SECTION 5. Site Operating Policies Ves Internal audit/self-inspection program procedure Site Security/Site Access Control Policies New Hire Program/Induction Program Continuity/Contingency Plan: Disaster Recovery Plan Pandemic Preparedness Plan Supply Chain Emergency Preparedness Plan Business Continuity/Contingency Plan	Employee Training Program Stability, Expiration, and Shelf-Life Program Product Retention Program Recall Procedure Customer Complaint Handling Equipment validation/qualification procedure SECTION 5. Site Operating Policies Ves No Internal audit/self-inspection program procedure Site Security/Site Access Control Policies New Hire Program/Induction Program Continuity/Contingency Plan: Disaster Recovery Plan Pandemic Preparedness Plan Supply Chain Emergency Preparedness Plan Business Continuity/Contingency Plan		

	SECTION 6. Quality Assurance and Production						
		Yes	No	Not Applicable			
6.1	Does the site have an independent and defined Quality Assurance/Quality Management Division?						
6.2	Does QA/QM have authority over the following:						
6.2a	Policies and procedures?	\boxtimes					
6.2b	Review of documentation for release?						
6.2c	Release or rejection of incoming materials?						
6.3	Does QA/QM investigate and resolve quality complaints?						
6.4	Does QA/QM investigate and resolve internal deviations?						
6.5	Does the QA/QM have the authority to assign a disposition to materials?						
6.6	Does the QA/QM review manufacturing and testing records prior to release?						

SECTION 6. Quality Assurance and Production					
		Yes	No	Not Applicable	
6.7	Does the facility utilize computerized systems for managing GxP activities or data?				
6.8	Are relevant computerized systems 21 CFR part 11 and EU GMP annex 11 compliant?				
6.9	Does the site use statistical methods for consistency and uniformity?				
6.10	Does the site use controlled documents for following and recording manufacturing instructions?				
6.11	Does the company qualify and/or validate manufacturing procedures?				
6.12	Is any environmental monitoring conducted in production/finishing areas?				
6.13	Does the site supply BSE/TSE declarations?				
6.14	Does the site supply a declaration of Elemental Impurities?				
6.15	Are ICH Q3C solvents used in the manufacturing process of supplied materials?				
6.15a	If Yes, what class of solvent is used? Class 2 & 3	•			
6.16	Are stability studies carried out according to ICH guidance?				
6.17	Are solvents and mother liquor reused/recycled?		\boxtimes		
6.18	Does the site have a process water treatment system?				
6.18a	Please check all that apply to the system: City/potable water Distilled water Dionized water Water for injection (WFI) Reverse Osmosis Clean steam Ultra-filtrated water (purified water) Other:				
6.19	Does the plant have a batch/lot system?		П		
6.19a	Is the system traceable?				
6.19b	Is it unique?				
6.19c	Is batch/lot manufacturing continuous?				
6.19d	Is manufacturing batch by batch?				
6.20	Does the site perform on-plant audits prior to approving critical GxP suppliers?				
6.21	Does the site audit critical GxP suppliers after initial approval?	\boxtimes			

	SECTION 6. Quality Assurance and Pro	ducti	on	
		Yes	No	Not Applicable
6.22	Does the site inspect incoming materials?			
6.23	Does the site test incoming materials to defined specifications?	\boxtimes		
6.24	Does the site establish purchase specifications for raw materials?	\boxtimes		
6.25	Is the equipment multi-use?		\boxtimes	
6.26	Does the site qualify equipment installation?	\boxtimes		
6.27	Does the site qualify equipment operation?	\boxtimes		
6.28	Does the site qualify equipment performance?			
6.29	Are production critical use instruments calibrated regularly?	\boxtimes		
6.30	Is rework allowed?	\boxtimes		
6.31	Is reprocessing allowed?	\boxtimes		
6.32	Are manufacturing and packaging activities traceable to the equipment, areas, and materials used?	\boxtimes		
6.33	Are production materials handled and stored in a manner to prevent degradation, contamination and crosscontamination?	\boxtimes		
6.34	If answering 'not applicable' for any of the above, please elaborate: None			
have a of Purchase box ins purchase	nal Comments: 6.20 and 6.21 - any supplier deemed critical quality agreement on file per established standard operations se specifications are not required for all raw materials, as cert erts) are purchased via PO designations only. Product ingred se specifications. Refer to our M-Clarity TM Program for a con attributes.	proced ain low lient m	lures; 6 v risk 1 aterial:	5.24 - materials (e.g s will have

SECTION 7. Laboratory Procedures			N/A for this Site		
		Yes	No	Not Applicable	
7.1	Does the site have standard procedures for sample handling/tracking?	\boxtimes			
7.1a	Does the site have standard procedures for retaining samples?	\boxtimes			
7.1b	Does the site have standard procedures for retesting samples?	\boxtimes			
7.2	Does the site have written and approved specifications and test methods?	\boxtimes			
7.3	Are laboratory instruments calibrated regularly?	\square			

SECTION 7. Laboratory Procedures			☐ N/A for this Site			
		Yes	No	Not Applicable		
7.4	Is there a standard procedure in place for analytical method development?					
7.5	Does the site qualify and/or validate analytical test procedures?					
7.6	Does the site perform stability testing on materials and/or products?					
7.7	Are retention samples of key raw materials maintained?	\boxtimes				
7.8	Are standards traceable to their preparation and reagents used?	\boxtimes				
7.9	Are retention samples of finished product maintained?	\boxtimes				
7.10	Are shelf life/retest/expiration dates available and standardized?	\boxtimes				
7.11	Does the company provide a certificate of analysis (CoA) and/or a Certificate of Conformation/Compliance (CoC) for each lot or batch?	\boxtimes				
7.12	Does the CoA/CoC contain the manufacture name and location?					
7.13	Does the CoA/CoC signed/e-signed by a Quality representative?					
7.14	If a repacker performs analyses, will the CoA reflect both the original manufacturing site data as well as the repacking site data?					
7.15	If answering 'not applicable' for any of the above, please elaborate: None					
7.16	Additional Comments: 7.1a and 7.9 - Retains are required for all finished good IVD products and products requiring a retain per applicable agreements. This information is captured in local SOPs; 7.13 - Not all COAs require a quality signature but are available upon request. Refer to our M-Clarity TM Program for a complete list of applicable quality attributes.					
CECTION O Desley in Change of Transport Towns of Transport						
	SECTION 8. Packaging, Storage, and Trans	Yes	No	Not Applicable		
8.1	Does the site have a validated or qualified labeling system?					
8.2	Are batch production records retained and available?	\boxtimes				
		I .	I	1		

SECTION 8. Packaging, Storage, and Trans			☐ N/A for this Site		
		Yes	No	Not Applicable	
8.3	Are packaging and labeling areas separate from production?	\boxtimes			
8.4	Are barcode readers in use and challenged regularly?	\boxtimes			
8.5	Are vision systems in use?				
8.6	Is product ever packaged without a label being initially applied (i.e. bright stocking)?		\boxtimes		
8.7	Do labels include shelf life/expiration dates?				
8.8	Do labels include lot/batch number?				
8.9	Do labels include requirements for storage conditions?				
8.10	Is tamper evident seal used for each container of supplied materials?				
8.11	Does the company use a First-In-First-Out or First-Expiration-First-Out system?				
8.12	Does the company maintain appropriate storage conditions?	\boxtimes			
8.12a	Are those storage conditions monitored and documented?				
8.13	Does the site make available a description of storage and/or warehouse conditions?				
8.14	Does the site distribute products via a third party?				
8.15	Are good distribution policies implemented?				
8.16	Are transport mechanisms dedicated?				
8.17	Does the company validate shipping method?				
8.18	Does the company validate packaging methods?				
Additional Comments: 8.4 - Not all products use bar code readers; 8.7 - Not all products have expiration dating printed on the label. Expiration date information is required for IVD					

Additional Comments: 8.4 - Not all products use bar code readers; 8.7 - Not all products have expiration dating printed on the label. Expiration date information is required for IVD products, stem cell media products, and applicable kits; 8.10 - Tamper seals are added to applicable products including the stem cell media products. Refer to our M-ClarityTM Program for a complete list of applicable quality attributes.

I (Supplier) confirm that the information provided in this questionnaire is correct and can be verified.

Date: 20-SEP-2023

Title:Head of Quality, Temecula