


RiOs™ 3, 5, 8 Water Purification Systems

Reliable and affordable pure water solutions




The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Milli-Q®
Lab Water Solutions

Reliable and affordable pure water solutions

Your water purification needs	Our solution: The RiOs™ water purification systems
Reliable, affordable laboratory grade water	Our RiOs™ systems produce reliable, affordable Type III pure water for a variety of laboratory applications, thanks to high performance reverse osmosis (RO) membranes .
Pure water for general laboratory use	RiOs™ system pure water is suitable for a variety of needs , including manual cleaning and rinsing, and buffer and reagent preparation.
Pure water to feed ultrapure water purification systems or other lab equipment	Water from RiOs™ systems can also be used as feed water for ultrapure water systems (e.g., Synergy® systems), as well as feed to humidifiers, autoclaves, and glassware washers .
Flow rates adapted to your daily usage	Systems in the RiOs™ range provide 3, 5, or 8 liters of pure water per hour .
A choice of adequate storage volumes	RiOs™ systems come either with an integrated 6-liter reservoir (RiOs™ 3) or an external reservoir (30 L or 60 L) .
Compact design for the most efficient use of your lab space	A small footprint makes it easy to install the RiOs™ water purification units wherever you want in your lab.
Easily accessible information on system operation	The user-friendly display provides system status at a glance; the concise Quick Reference Guide is a handy guide for daily operation.
Simple self-maintenance	The single SmartPak® RO cartridge (with integrated RO membrane) enables easy and rapid replacement.

RiOs™ systems water purification pathway



Choose the pure water solution that's right for you

Reliable, affordable pure water

Designed to produce reliable, affordable pure water, RiOs™ systems are a perfect solution for Type III laboratory-grade water needs. Select the RiOs™ system that best matches your daily water volume needs: the range includes models that produce 3, 5 or 8 liters of pure water per hour. Pure water is stored conveniently either in an integrated 6-liter reservoir for the RiOs™ 3 system, or in external 30 L or 60 L reservoirs for the RiOs™ 5 and RiOs™ 8 models.



Feed water for ultrapure water systems and other lab equipment

RiOs™ systems provide an ideal source of pure water for use as feed to ultrapure water purification systems, such as our Synergy® systems. A mere 80-centimeter (32-inch) space suffices to hold the two systems, and you'll have access to both Type III and Type I (18.2 MΩ·cm) water on demand! When connected to an external reservoir, RiOs™ systems can also supply pure water to feed other laboratory equipment, including humidifiers, autoclaves, and glassware washers.



Pure water for general, non-critical lab applications

Type III water from RiOs™ systems is suitable for all your manual cleaning and rinsing needs, as well as for buffer and reagent preparation; and for use in water baths.

Benefit from compact, user-friendly design

Optimized lab space

With their small footprint and robust design, RiOs™ water purification units can be installed wherever you need pure water in your lab, on the benchtop, or on the wall.*

* RiOs™ 5 and RiOs™ 8 systems are designed for use with a 30 L or 60 L external reservoir.



MilliporeSigma offers more than water

Easy installation

RiOs™ systems are designed for easy installation: just connect the system to a tap water supply, plug it in, and insert the SmartPak® RO cartridge. If your configuration includes a 30- or 60-liter reservoir, follow the simple setup procedures, and your system will be ready to use! Just open the tank outlet valve to dispense pure water — the integrated 6 L reservoir or external 30/60 L reservoirs store your RO water in optimal condition ready for use when you need it.

Just the information you need

The intuitive color graphic display shows key system parameters at a glance, enabling easy water quality and maintenance warning monitoring. Additional information on system operation and maintenance is provided by the Quick Reference Guide and User Manual stored on the water production unit.

User-friendly maintenance

The single SmartPak® purification cartridge with integrated RO membrane protection simplifies maintenance to a quick pack change. You will receive an automatic notification on the RiOs™ system when it's time to change the cartridge, which is easily done in a couple of minutes.

Milli-Q® Services Plans

To optimize the performance and lifetime of your water purification system, we offer a complete portfolio of service plans, ranging from a single annual checkup to full system coverage. For more information, please check with your MilliporeSigma applications specialist or visit our website:

EMDMillipore.com/Milli-QServices



Specifications

Pure (Type III) Product Water Quality	RiOs™ Systems
Ionic content	> 96% rejected typically
Organics & Particulates	> 99% rejected typically
Production flow rate	3, 5, 8 L/h @ 15 °C ± 15%

System Information

Dimensions (H x W x D) mm	500 x 290 x 330 mm (19.7 x 11.4 x 13 in)
Net weight (RiOs™ 3 system)	7 kg (15.4 lb)
Net weight (RiOs™ 5, 8 systems)	6 kg (13.2 lb)
Operating weight (RiOs™ 3 system)	14.9 kg (32.8 lb)
Operating weight (RiOs™ 5, 8 systems)	8.9 kg (19.6 lb)
Built-in reservoir volume	6 L (1.6 gal)
Electrical feed voltage	100–250 V ± 10%
Electrical feed frequency	50–60 Hz ± 10%
Tap (feed) water connection	½" Gaz M
Tap (feed) water pressure	0.5 to 6 bar

Milli-Q®

Lab Water Solutions

MilliporeSigma
400 Summit Drive
Burlington, MA 01803

EMDMillipore.com/labwater

To place an order or receive technical assistance in the U.S. and Canada, call toll-free 1-800-645-5476
For other countries across Europe and the world, please visit: **EMDMillipore.com/offices**
For Technical Service, please visit: **EMDMillipore.com/techservice**

© 2018 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved. MilliporeSigma, the vibrant M, Milli-Q, RIOs, SmartPak and Synergy are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

Lit. No. PB1553ENUS
2017 - 01298
06/2018